Threaded Adaptor for Fitting Solar Lamps and Plastic Signs on Beacons



AT A GLANCE

- Adaptor for the top of a beacon.
- Thread for solar warning lamps and plastic signs.
- Black PPC, Ø40 mm, 9 cm high.

Product code	**ATE 184A**
Category	**Road Safety Accessories**
Weight	**0.15 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/adaptor-cu-filet-pentru-montarea-lampilor-solare-si-a-indicatoarelor-din-plastic-pe-balize

Technical specifications

Type	Threaded beacon adaptor
Material	PPC (polypropylene copolymer)
Colour	Black
Diameter	Ø40 mm
Height	9 cm
Mounting	On the top of the beacon, fixed with the screw in the side hole
Fits	ATZ 404-Y and ATZ 404-R solar warning lamps; threaded plastic signs

Description

A solar warning lamp or a small plastic sign does not fit straight onto a beacon. The ATE 184A is the adaptor in between: it goes on the top of the beacon and is fixed with the screw in the side hole, and the lamp or the sign screws into it. That way the yellow flashing light sits above the beacon, where traffic can see it. It is for beacons only: delineators, cones and barriers have their own thread and the lamp screws straight in. The thread is inside, so the lamp or the sign stays centred above the beacon.

What fits

- the ATZ 404-Y (yellow) and ATZ 404-R (red) solar warning lamps;
- threaded plastic signs, such as the ATZ 545 "No parking".

Technical data

- black PPC (polypropylene copolymer);
- Ø40 mm diameter, 9 cm high;

- weight 0.15 kg.

For road works

The rules for signalling road works ask for beacons completed with yellow flashing lamps. The beacon calculator adds one adaptor per beacon automatically when you choose the ATZ 404-Y solar lamp.

Drawings and details · 1/3

Detalii
Details

ATE 184A



Filet în interior, pentru lampă sau indicator
Thread inside, for a lamp or a sign



Șurub lateral, fixează adaptorul pe baliză
Side screw, fixes the adaptor to the beacon

ATE 184A details

Drawings and details · 2/3

Dimensiuni
Dimensions
mm

ATE 184A



PPC (polipropilenă copolimer), negru. 0,15 kg.
PPC (polypropylene copolymer), black. 0.15 kg.

ATE 184A dimensions

Drawings and details · 3/3

Cum se montează
How it is fitted

ATE 184A



Lampa se înfiletează în adaptor
The lamp screws into the adaptor

ATE 184A, pe știftul balizei
ATE 184A, on the beacon's pin

Șurub lateral de fixare
Side fixing screw

Adaptorul e doar pentru balize. Pe conuri, stâlpi delimitatori și bariere, lampa se înfiletează direct.
The adaptor is for beacons only. On cones, delineators and barriers the lamp screws in directly.
Tot așa se montează pe baliză indicatoarele din plastic cu filet. Baliza și lampa se comandă separat.
Threaded plastic signs go on a beacon the same way. The beacon and the lamp are ordered separately.

ATE 184A: how it is fitted