Threaded Adapter for the Top of a Post, PP, Black



AT A GLANCE

- PP adapter for Ø80 mm posts, black.
- 8 × 8 cm, 0.2 kg.
- Threaded socket for plastic signs or lamps.
- Side hole for fixing.

Product code	**ATO 2400**
Category	**Road Safety Accessories**
Weight	**0.2 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/adaptor-cu-filet-pentru-varful-stalpului-pp-negru

Technical specifications

Type	Threaded socket adaptor for the top of a post
Post diameter	Ø80 mm
Material	Polypropylene (PP)
Colour	Black
Fixing to the post	Through the side hole
What fits on it	A plastic sign or a warning lamp, in the threaded socket

Description

Not every post has a socket at the top for screwing in a sign. The ATO 2400 solves that: it is a black polypropylene cap that fits over the end of a post and has a threaded socket on top. A plastic sign screws into it, for example the ATZ 545 "No parking" sign, or a warning lamp.

Technical data

- for posts with an 80 mm diameter;
- dimensions: 8 × 8 cm;
- material: polypropylene (PP), black;
- threaded socket at the top;
- side hole for fixing;
- weight: 0.2 kg.

Fitting

Put the adapter on the top of the post and fix it through the side hole, so it does not turn when you screw in the sign. Then fit the sign or lamp in the socket.

What it is for

It turns a Ø80 mm delineator post into a support for signage: a "Road works" sign, the ATZ 782, on a post at the edge of a work zone, or a V8-Y flashing lamp on a post in a car park.

For cones

Drawings and details · 1/3

Dimensiuni
Dimensions
mm

ATO 2400



Se pune pe stâlpi cu diametrul de 80 mm
Fits posts 80 mm in diameter

Adaptor cu soclu filetat pentru vârful stâlpului, polipropilenă (PP); negru, greutate 200 g.
Threaded socket adaptor for the top of a post, Polypropylene (PP); black, weight 200 g.
Diametru stâlp: ø80 mm.
Post diameter: ø80 mm.
Ce se montează: un indicator din plastic sau o lampă de semnalizare, în soclul cu filet.
What fits on it: a plastic sign or a warning lamp, in the threaded socket.

ATO 2400 dimensions

Drawings and details · 2/3

Detalii
Details

ATO 2400




Soclu cu filet, sus
Threaded socket on top



Gaură laterală, pentru fixarea pe stâlp
Side hole, for fixing to the post



Adaptorul, cu soclul în sus
The adaptor, socket up




Văzut din lateral
Seen from the side

ATO 2400 details

Drawings and details · 3/3

Cum se folosește
How it is used

ATO 2400



Adaptorul se pune pe vârful stâlpului și se fixează prin gaura laterală, ca să nu se rotească.
The adaptor goes on the top of the post and is fixed through the side hole, so it does not turn.

În soclul cu filet se înșurubează un indicator din plastic sau o lampă de semnalizare.
A plastic sign or a warning lamp screws into the threaded socket.

How ATO 2400 is used