Flexible Directional Beacon, 20×80 cm

Clearance



AT A GLANCE

- 20 × 80 cm yellow-red reflector on both faces, EG Class I film.
- 104 cm tall, 12 kg, with its own 31 × 48 cm base.
- Carrying handle.
- PPC and PVC.

Product code	**ATE 12415**
Category	**Directional Beacons**
Weight	**12 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/baliza-directionala-flexibila-20×80-cm

Technical specifications

Material	PPC, PVC
Size (Reflector)	20 × 80 cm
Size (Bollard)	93 × 22 cm
Size (Base)	31 × 48 × 4 cm
Color	Black, Red
Color (Reflector)	Yellow, Red
Reflective	EG Type Film Cl.I
Faces	Reflector on both faces
Installation	Stands directly on the road surface, no holes

Description

This is the middle model: half as tall again as the 20×48 cm beacon, but still easy to carry by the handle. The 20 × 80 cm reflector reaches the height the driver is looking at, not the height of the car's bumper.

The yellow and red stripes are EG Class I film and are on both faces, so a beacon at the edge of a lane is also seen from the opposite direction.

Base and weight

It stands on a black 31 × 48 cm base, wider than the small model's, and weighs 12 kg in total. It is not fixed into the asphalt: you set it down, and at the end of the day you lift it back into the van.

When to choose it

For lane closures and diversions in town, for one- or two-day jobs, and for marking a temporary route through a car park or a factory yard. Several beacons in a row, evenly spaced, show clearly where the cars have to go.


Material

PPC and PVC, with a red frame and a black base.

Drawings and details · 1/3

Dimensiuni
Dimensions
mm

ATE 12415



Înălțime totală 1040 mm; reflector 200 x 800 mm, folie tip EG Cl.I; greutate 12 kg.
Total height 1040 mm; reflector 200 x 800 mm, EG Type Film Cl.I; weight 12 kg.
Dimensiune (Bază): 31 x 48 x 4 cm.
Base: 31 x 48 x 4 cm.
Material: pPC, PVC.
Material: pPC, PVC.
Fețe: reflector pe ambele fețe.
Faces: reflector on both faces.

ATE 12415 dimensions

Drawings and details · 2/3

Detalii
Details

ATE 12415



Mâner sus, pentru mutat cu o mână
Handle on top, to move it one-handed



Folie tip EG Clasa I, dungi galben-roșu
EG type Class I film, yellow-red stripes



Bază neagră, 31 x 48 cm
Black base, 31 x 48 cm



Prinderea panoului în bază
Where the panel joins the base

ATE 12415 details


Drawings and details · 3/3

Cum se folosește
How it is used

ATE 12415

Exemplu: o bandă închisă, văzută de sus

balizele, mărit



Example: one lane closed, seen from above · beacons enlarged



Se așază direct pe carosabil, fără găuri
Stands directly on the road surface, no holes

Reflectorul e pe ambele fețe: se vede din ambele sensuri
The reflector is on both faces: seen from both directions

Se mută de mâner, cu o mână
Carried by its handle, with one hand

Mai multe balize puse în șir, la distanțe egale, arată pe unde trebuie să treacă mașinile.
Several beacons in a row, evenly spaced, show drivers where to go.

How ATE 12415 is used