Left/Right Directional Beacon with 15 kg Base, 25×100 cm, Class I

CLASS I / 18 KG | Class I (EGP) Road Signs | Signs compliant with SR 1848-1:2024



AT A GLANCE

- Complete set: 25 × 100 cm left/right panel and 15 kg base.
- Double-sided yellow-red panel, Class I (EGP) reflective film.
- Metal Z insert in the panel's foot for stiffness.
- 75 × 38 × 11.5 cm PVC base with reflective strips.

Product code	**V7-15**
Category	**Directional Beacons**
Brand	**Atto Trafic**
Weight	**17 kg**
Compliance	**Class I (EGP) Road Signs**
Compliance	**Signs compliant with SR 1848-1:2024**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/baliza-directionala-stanga-dreapta-cu-baza-de-15-kg-25×100-cm-clasa-i

Technical specifications

Material	PE-HD, PVC
Size (Bollard)	133 cm total height
Size (Reflector)	25 × 100 cm
Size (Base)	38 × 75 × 11.5 cm
Weight (Bollard)	2.5 kg
Weight (Base)	15 kg
Bollard Heads	6 × 6 cm, Ø4.3 cm
Base Bollard Holes	30 × 30 mm, 50 × 50 mm, 60 × 60 mm, 40 × 45 mm, 15 × 30 mm (2), Ø40 mm (2)
Color	White, Black
Color (Reflector)	Yellow, Red

Reflective	EGP Type Film Cl.I

Description

This is the beacon you see along road works in town: a narrow 25 × 100 cm panel with diagonal yellow and red stripes, set into a black base that sits on the asphalt. This set gives you both.

The panel

It is blow-moulded black high-density polyethylene (PE-HD), weighs 2.5 kg and has the reflector on both faces, in Class I (EGP) film. The square foot at the bottom has a Z-shaped metal insert that stiffens the panel exactly where it goes into the base and where it would bend most easily.

The base

The PVC base weighs 15 kg and measures 75 × 38 × 11.5 cm, with yellow reflective strips. It sits on the road with no holes in the asphalt, and one person can move it along with the work. Besides the slot for the panel it has other square and round holes that take the post of a mobile sign.

15 or 28 kg?

On streets and roads where wind is not a problem, 15 kg is enough. On open roads with lorries passing close to the beacon, choose the V7-28 on a 28 kg base. If it has to be seen from further away at night, there is also a Class II version, the V7-15_II.

What the roadworks rules require (Order 1112/411/2000)


Directional markers (V3/V4 in SR 1848-1:2024) show which side to pass the obstacle and belong to the signing that marks the works, together with barrier boards and cones, installed after the advance signing. The methodological rules approved by Order MI/MT no. 1112/411/2000 require temporary signing to be retroreflective at night wherever the existing signing is, supplemented where needed with flashing or sequential (“cascade”) amber lamps, as on the V7b-15 and V7b-28 lamp markers.

The contractor installs the signing to the layout approved by the road authority with the traffic police's agreement, maintains and completes it for the whole job and removes it at the end; accidents caused by incomplete or missing temporary signing are entirely the contractor's responsibility.

Drawings and details · 1/3

V7-15 – Balиză V3-V4 cu suport de 15 kg, clasa I

V7-15 – V3-V4 marker with 15 kg base, Class I



Baliză V3-V4: față retroreflectorizantă 25 x 100 cm pe ambele părți, clasa I; înălțime 133 cm; 2,5 kg.
V3-V4 marker: 25 x 100 cm retroreflective face on both sides, Class I; 133 cm high; 2.5 kg.

Suport V2-15: 75 x 38 x 11,5 cm, 15 kg; piciorul balizei intră în locașul de 60 x 60 mm.
V2-15 base: 75 x 38 x 11.5 cm, 15 kg; the marker's foot goes into the 60 x 60 mm socket.

SR 1848-2, tab. 12: balizele V3 / V4 se instalează la 20 cm de la sol.
SR 1848-2, table 12: V3 / V4 markers are installed 20 cm above the ground.

Sursa: fișele tehnice ale producătorilor; SR 1848-2:2011, tab. 12.
Source: producers' technical sheets; SR 1848-2:2011, table 12.

V7-15 set dimensions: 133 cm marker, 25 × 100 cm face, 75 × 38 cm base

Drawings and details · 2/3

Setul conține
The set contains

1



Suport pentru Indicator Mobil cu Benzi Reflectorizante, 15 Kg
Base for Mobile Sign with Reflective Strips, 15 kg
Cod / Code: V2-15 · 1 buc. / pc.

2



Baliză Direcțională Stânga/Dreapta cu Z metalic la bază pentru întărire (25×100 cm – CLASA I)
Left/Right Directional Beacon with Metal Z Reinforcement at the Base (25×100 cm – CLASS I)
Cod / Code: V3-V4 · 1 buc. / pc.

The V7-15 set contains the V2-15 base and the V3-V4 marker

Drawings and details · 3/3

Montaj în suportul mobil V2-15
Fitting into the V2-15 portable base



Fitting the V3-V4 marker into the V2-15 base: the foot with the Z goes into the 60 × 60 mm socket