Left/Right Directional Beacon with 28 kg Base, 25×100 cm, Class II

CLASS II / 31 KG | Signs compliant with SR 1848-1:2024



AT A GLANCE

- Complete set: 25 × 100 cm left/right panel and 28 kg base.
- Class II (HIP) reflective film on both faces.
- Metal Z insert in the panel's foot.
- 76 × 38 × 12.2 cm PVC base with reflective strips.

Product code	**V7-28_II**
Category	**Directional Beacons**
Brand	**Atto Trafic**
Weight	**30 kg**
Compliance	**Signs compliant with SR 1848-1:2024**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/baliza-directionala-stanga-dreapta-cu-baza-de-28-kg-25×100-cm-clasa-ii

Technical specifications

Material	PE-HD, PVC
Size (Bollard)	133 cm total height
Size (Reflector)	25 × 100 cm
Size (Base)	38 × 76 × 12.2 cm
Weight (Bollard)	2.5 kg
Weight (Base)	28 kg
Bollard Heads	6 × 6 cm, Ø4.3 cm
Base Bollard Holes	4 × 4 cm, 6 × 6 cm, 3 x Ø5 cm
Color	White, Black
Color (Reflector)	Yellow, Red
Reflective	HIP Type Film Cl.II

Description

Of the left/right beacons we sell, this one combines both: the 28 kg base, which does not tip over easily when lorries pass, and Class II film, which shows up from further away in the headlights.

We recommend it for open main and county roads, for works that stay signed through the night, and for places where lighter beacons have been found lying on the road in the morning.

Components

- a 25 × 100 cm black PE-HD panel, 2.5 kg, with yellow-red stripes on both faces in HIP film;
- a metal Z in the panel's square foot;
- a 28 kg PVC base measuring 76 × 38 × 12.2 cm, with yellow reflective strips.

Handling

The base sits on the asphalt with no holes drilled, but at 28 kg it is better moved by two people. The panel lifts out of the base, so the two parts travel separately.

Alternatives

With Class I film on the same base there is the V7-28. If you only need spare panels for bases you already have, the V3-V4_II is the Class II panel sold on its own.

What the roadworks rules require (Order 1112/411/2000)

Directional markers (V3/V4 in SR 1848-1:2024) show which side to pass the obstacle and belong to the signing that marks the works, together with barrier boards and cones, installed after the advance signing. The methodological rules approved by Order MI/MT no. 1112/411/2000 require temporary signing to be retroreflective at night wherever the existing signing is, supplemented where needed with flashing or sequential (“cascade”) amber lamps, as on the V7b-15 and V7b-28 lamp markers.

The contractor installs the signing to the layout approved by the road authority with the traffic police's agreement, maintains and completes it for the whole job and removes it at the end; accidents caused by incomplete or missing temporary signing are entirely the contractor's responsibility.

Drawings and details · 1/4

V7-28_II – Baliză V3-V4 cu suport de 28 kg, clasa II

V7-28_II – V3-V4 marker with 28 kg base, Class II



Baliză V3-V4: față retroreflectorizantă 25 x 100 cm pe ambele părți, clasa II; înălțime 133 cm; 2,5 kg.
V3-V4 marker: 25 x 100 cm retroreflective face on both sides, Class II; 133 cm high; 2.5 kg.

Suport V2-28: 76 x 38 x 12,2 cm, 28 kg; piciorul balizei intră în locașul de 60 x 60 mm.
V2-28 base: 76 x 38 x 12.2 cm, 28 kg; the marker's foot goes into the 60 x 60 mm socket.

SR 1848-2, tab. 12: balizele V3 / V4 se instalează la 20 cm de la sol.
SR 1848-2, table 12: V3 / V4 markers are installed 20 cm above the ground.

Sursa: fișele tehnice ale producătorilor; SR 1848-2:2011, tab. 12.
Source: producers' technical sheets; SR 1848-2:2011, table 12.

V7-28_II set dimensions: 133 cm marker, 25 × 100 cm face, 76 × 38 cm base

Drawings and details · 2/4

Setul conține
The set contains

1



Suport pentru Indicator Mobil cu Benzi Reflectorizante, 28 Kg
Base for Mobile Sign with Reflective Strips, 28 kg
Cod / Code: V2-28 · 1 buc. / pc.


2



Baliză Direcțională Stânga/Dreapta cu Z metalic la bază pentru întărire (25×100 cm – CLASA II)
Left/Right Directional Beacon with Metal Z Reinforcement at the Base (25×100 cm – CLASS II)
Cod / Code: V3-V4_II · 1 buc. / pc.

The V7-28_II set contains the V2-28 base and the V3-V4 marker

Drawings and details · 3/4



Fitting the V3-V4 marker into the V2-28 base: the foot with the Z goes into the 60 × 60 mm socket

Drawings and details · 4/4



Fața V3 – ocolire prin stânga
V3 face – pass on the left



Fața V4 – ocolire prin dreapta
V4 face – pass on the right

Aceeași baliză, văzută din ambele părți · setul conține o baliză și un suport
The same marker seen from both sides · the set contains one marker and one base

The V7-28_II set seen from both sides: V3 face (pass on the left) and V4 face (pass on the right)