PVC Marking Tape, Red (RAL 3002), 10 cm x 30 m



AT A GLANCE

- PVC marking tape, red (RAL 3002).
- 10 cm x 30 m, 0.6 kg.
- Red per ASR A1.3: prohibitions and firefighting equipment.
- Abrasion-resistant backing, tears by hand.

Product code	**ATO 8250-R**
Category	**Adhesive and Warning Tapes**
Weight	**0.6 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/banda-adeziva-de-marcare-din-pvc-rosie-ral-3002-10-cm-x-30-m

Technical specifications

Type	Adhesive floor marking tape
Material	PVC, abrasion-resistant backing
Width	10 cm
Length	30 m
Color	Red (RAL 3002)
Use	Prohibitions and firefighting equipment (ASR A1.3)
Application	On a clean, dry floor free of dust or oil; press it down firmly, especially at the ends; tears by hand
Duration	For temporary markings

Description

The ATO 8250-R is the red RAL 3002 tape in a 10 cm width. Under ASR A1.3, red means prohibition and fire protection, and the double width shows from the end of an aisle or from a forklift cab: for a hydrant in a large hall or for a wide area where a prohibition applies.

Technical data

- width: 10 cm;
- length: 30 m per roll;
- material: PVC;
- colour: red RAL 3002;
- weight: 0.6 kg.

The colour under ASR A1.3

The tape's shade is RAL 3002. For the safety red, ASR A1.3 refers to ISO 3864-4, usually given as RAL 3001.

How much you need

A 1 × 1.5 m rectangle around an extinguisher or a hydrant takes 5 m of tape, so one 30 m roll covers 6 such areas.

Applying it

Clean and dry the floor, then lay the tape along a chalk line and press it down firmly along its length and at the corners. It tears by hand, no scissors needed. The PVC backing resists abrasion, but the tape is made for temporary markings.

Other versions

Narrower, at 5 cm, is the ATO 8200-R. For escape routes, the 10 cm green is the ATO 8250-G.


Drawings and details · 1/3

Dimensiuni
Dimensions

ATO 8250-R



Rolă de 30 m · 0,6 kg
30 m roll · 0.6 kg



lățimea benzii la scară, lungimea întreruptă
tape width to scale, length broken

ATO 8250-R dimensions

Drawings and details · 2/3

Aplicare și culoare
Application and colour

ATO 8250-R

Ce marchează culoarea
What the colour marks

Interdicții și echipamente pentru stingerea incendiilor (ASR A1.3)

Prohibitions and firefighting equipment (ASR A1.3)

Culoare
Colour

Roșu (RAL 3002)

Red (RAL 3002)

Material
Material

PVC, suport rezistent la abraziune

PVC, abrasion-resistant backing

Aplicare
Application

Pe pardoseală curată, uscată, fără praf sau ulei; se apasă ferm, mai ales la capete; se rupe cu mâna

On a clean, dry floor free of dust or oil; press it down firmly, especially at the ends; tears by hand

Durată
Duration

Pentru marcaje temporare

For temporary markings

Cât îți trebuie
How much you need

Un dreptunghi de 1 x 1,5 m cere 5 m de bandă: o rolă de 30 m ajunge pentru 6 asemenea zone.


A 1 x 1.5 m rectangle takes 5 m of tape: one 30 m roll is enough for 6 such areas.

ATO 8250-R application

Drawings and details · 3/3

Utilizare: zonă marcată pe pardoseală (vedere de sus) **ATO 8250-R**

Use: an area marked on the floor (seen from above)



Roșu (RAL 3002): interdicții și echipamente pentru stingerea incendiilor (ASR A1.3).
Red (RAL 3002): prohibitions and firefighting equipment (ASR A1.3).

Zona de 1 x 1,5 m are 5 m de contur: o rolă de 30 m ajunge pentru 6 asemenea zone.
The 1 x 1.5 m area has a 5 m outline: one 30 m roll is enough for 6 such areas.

Where ATO 8250-R is used