Barrier Tape, Red-White, 6 cm x 500 m



AT A GLANCE

- Red-white barrier tape, non-adhesive.
- 6 cm x 500 m, 1 kg.
- Polyethylene, at least 60 microns thick.
- Large roll for long perimeters.

Product code	**ATZ R12**
Category	**Adhesive and Warning Tapes**
Brand	**Atto Trafic**
Weight	**1 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/banda-de-delimitare-rosu-alb-6-cm-x-500-m

Technical specifications

Type	Barrier tape, non-adhesive
Material	Polyethylene (PE)
Thickness	At least 60 µm
Width	6 cm
Length	500 m
Color	Red and white, diagonal stripes
Installation	Tied to posts, cones, fences or trees and stretched between them; leaves no marks

Description

The ATZ R12 is the same non-adhesive red-white polyethylene tape, but on a 500 m roll, two and a half times longer than the 200 m one. It is the choice of construction firms, utility crews and road operators who close off areas almost every day and do not want to change rolls on every job.

Technical data

- width: 6 cm;
- length: 500 m per roll;
- material: polyethylene (PE), at least 60 microns thick;
- colour: red and white, diagonal stripes;
- weight: 1 kg.

How far it goes

One roll can fence a 100 × 150 m site, or five 30 × 20 m work areas. At 1 kg, it fits in any toolbox in the crew's van.

Setting it up

The tape is tied to portable posts such as the ATZ 63315R2, to cones, fences or whatever is on site, and comes down at the end without leaving marks.

Other versions

For small jobs, the ATO 8020 roll holds 200 m. In yellow-black, for permanent hazards (ASR A1.3), there is the ATO 8120.


Drawings and details · 1/3

Dimensiuni
Dimensions

ATZ R12



Rolă de 500 m · 1 kg
500 m roll · 1 kg



lățimea benzii la scară, lungimea întreruptă
tape width to scale, length broken

ATZ R12 dimensions

Drawings and details · 2/3

Material și montaj
Material and installation

ATZ R12

Tip
Type

Bandă de delimitare, fără adeziv

Barrier tape, non-adhesive

Material
Material

Polietilenă (PE)

Polyethylene (PE)

Grosime
Thickness

Minimum 60 µm

At least 60 µm

Culoare
Colour

Roșu și alb, dungi în diagonală

Red and white, diagonal stripes

Montaj
Installation

Se leagă de stâlpi, conuri, garduri sau copaci și se întinde între ele; nu lasă urme

Tied to posts, cones, fences or trees and stretched between them; leaves no marks

Cât îți trebuie
How much you need

O zonă de 30 x 20 m are 100 m de contur: o rolă de 500 m ajunge pentru 5 asemenea zone.

A 30 x 20 m area has a 100 m perimeter: one 500 m roll is enough for 5 such areas.

ATZ R12 material and installation

Drawings and details · 3/3

Utilizare: zonă închisă cu stâlpi mobili **ATZ R12**

Use: an area closed off with portable posts



Roșu-alb după ASR A1.3: pericole temporare, cum sunt o groapă deschisă, o lucrare pe drum sau un șantier.
Red-white under ASR A1.3: temporary hazards, such as an open pit, road works or a building site.

Se leagă de stâlpi, conuri, garduri sau copaci și se întinde între ele; nu lasă urme.
Tied to posts, cones, fences or trees and stretched between them; leaves no marks.

O zonă de 30 x 20 m are 100 m de contur: o rolă de 500 m ajunge pentru 5 asemenea zone.
A 30 x 20 m area has a 100 m perimeter: one 500 m roll is enough for 5 such areas.

Stâlpii se comandă separat.
The posts are ordered separately.

Where ATZ R12 is used