
Steel Protection Barrier, 2 Pieces, Yellow-Black, Adjustable Width 35-50 cm



AT A GLANCE

- Powder-coated Ø50 mm steel tube barrier.
- 2 pieces that join together: the arms of each go into the opposite piece.
- 60 cm high, 50 cm long, 35-50 cm wide, 5 kg.
- 12 anchors and 12 screws, included free of charge.

Product code	**ATO 6357**
Category	**Wall and Corner Protection**
Weight	**5 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/bariera-de-protectie-din-otel-2-piese-galben-negru-latime-reglabila-35-50-cm

Technical specifications

Material	Painted Steel
Size (Post)	Ø50 mm
Thickness (Post)	3 mm
Color	Yellow
Reflective	6 Film
Installation	12 Dowels, 12 Screws
Width	35-50 cm
Arm Length	30 cm

Description

The ATO 6357 is made of 2 pieces of yellow steel tube that join like a construction set: the 30 cm arms of each piece go into the opposite piece. Once joined, the barrier is between 35 and 50 cm wide, depending on how far the arms go in, and it protects an object from every side.

Technical data

- Ø50 mm steel tube, 3 mm wall, powder-coated;
- 60 cm high, 50 cm long;

- 30 cm arms on each piece, installed width between 35 and 50 cm;
- 4 legs, each with a plate with 3 holes;
- yellow with 6 black bands;
- weight: 5 kg.

Installation

Join the 2 pieces at the width you need, then fix the plates into concrete at 12 points, with the 12 anchors and 12 screws included free of charge.

Where it is used

Around an object that needs protecting from every side: a hydrant, a meter, a small electrical cabinet or a thin post, in halls, warehouses and car parks.


Other shapes

For a single short side, the ATO 6354 hoop is enough. For a corner guarded on both sides, see the ATO 6353.

Drawings and details · 1/3

Dimensiuni
Dimensions
mm

ATO 6357



Țeavă de oțel Ø50 mm, perete 3 mm, vopsită electrostatic, galben cu benzi negre. Greutate 5 kg.
Ø50 mm steel tube, 3 mm wall, powder coated, yellow with black bands. Weight 5 kg.
2 piese care se îmbină, cu brațe de 30 cm; 4 picioare cu câte 3 găuri. Se prinde în beton: 12 dibluri și 12 șuruburi, incluse.
2 pieces that join, with 30 cm arms; 4 legs with 3 holes each. Fixed in concrete: 12 dowels and 12 screws, included.

ATO 6357 dimensions

Drawings and details · 2/3

Detalii
Details

ATO 6357



Placă de prindere
Fixing plate



Una din cele 2 piese
One of the 2 pieces



Brațele intră în piesa din față
The arms go into the opposite piece



Picior cu placă
Leg with plate


ATO 6357 details

Drawings and details · 3/3

Cum se folosește
How it is used

ATO 6357

2 piese în jurul unui obiect, apărat din toate părțile
2 pieces around an object, protected from every side



Brațele de 30 cm ale fiecărei piese intră în piesa din față, deci lățimea se alege între 35 și 50 cm.
The 30 cm arms of each piece go into the opposite piece, so the width can be set between 35 and 50 cm.

Vedere de sus.
Seen from above.

Plăcile se prind în beton cu diblurile și șuruburile incluse.
The plates are fixed in concrete with the dowels and screws included.

ATO 6357: how it is used