Manual Parking Lock with Key Included



AT A GLANCE

- Electrostatically painted steel, yellow RAL 1023
- 3 kg, folds down to 9 cm
- Fixed with 3 anchors Ø16×90 mm and 3 bolts Ø10×110 mm
- Key included

Product code	**ATZ M601A**
Category	**Parking Blockers**
Brand	**Atto Trafic**
Weight	**3 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/blocator-parcare-manual-cu-cheie-inclusa

Technical specifications

Material	Painted Steel
Weight	3 kg
Dimensions L X W X H	38 × 9 × 48 cm
Base Dimensions L X W X H	38 × 9 × 4.5 cm
Folded Dimensions L X W X H	38 × 55 × 9 cm
Color	Yellow (RAL 1023)
Mounting System	Dowels Ø16 × 90 mm (x3), Screws Ø10×110 mm (x3)
Pipe Diameter	Ø45 mm

Description

The construction is the same as the padlock model, but the key lock is fitted at the factory. There is no padlock to hunt for and nothing extra to carry next to your car keys.

What is in the box

- the lock itself, electrostatically painted steel in yellow RAL 1023, 3 kg;
- the key lock, already fitted;
- 3 anchors Ø16×90 mm and 3 bolts Ø10×110 mm for fixing into concrete or asphalt.

Dimensions

Raised it measures 38×9×48 cm, with a 38×9×4.5 cm base and a Ø45 mm pipe. Folded it drops to 38×55×9 cm and the car drives over it. To fit it you only need a hammer drill and a spanner for the bolts.

When the key version makes sense

When the space is shared: family, office colleagues or the building manager. Have a copy of the key cut for each of them instead of passing one padlock around.

The other models, with padlock, folding or spherical, are in the parking blockers category.

Drawings and details · 1/4

Dimensiuni

Dimensions

mm

ATZ M601A



Fier vopsit electrostatic, galben RAL 1023; cheie inclusă. Greutate 3 kg.
Powder coated iron, yellow RAL 1023; key included. Weight 3 kg.
Țeavă Ø45 mm; bază 38 x 9 x 4,5 cm.
Ø45 mm pipe; 38 x 9 x 4.5 cm base.
Pliat la sol: 38 x 55 cm, 9 cm înălțime.
Folded down: 38 x 55 cm, 9 cm high.
Se prinde în 3 puncte: 3 dibluri Ø16 x 90 mm și 3 șuruburi Ø10 x 110 mm, incluse.
Fixed at 3 points: 3 Ø16 x 90 mm dowels and 3 Ø10 x 110 mm screws, included.

ATZ M601A dimensions


Drawings and details · 2/4

Detalii
Details

ATZ M601A



Încuietoare cu cheie, montată din fabrică
Key lock, fitted at the factory



Placă cu semnul de parcare interzisă
Plate with the no parking symbol



2 benzi negre pe fiecare braț
2 black bands on each arm



Baza se prinde în 3 puncte
The base is fixed at 3 points


ATZ M601A details

Drawings and details · 3/4

Cum se folosește
How it is used

ATZ M601A

Ridicat: locul este păzit
Raised: the place is kept free



Pliat: mașina trece peste el
Folded: the car drives over it

Când ajungi, descui și culci blocatorul la sol. Când pleci, îl ridici și îl încui la loc.
When you arrive, unlock it and fold it down. When you leave, raise it and lock it again.
La mașinile foarte joase, verifică garda la sol: pliat are 9 cm înălțime.
For very low cars, check the ground clearance: folded it is 9 cm high.

ATZ M601A: how it is used

Drawings and details · 4/4


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

ATZ M601A fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel