Foldable Parking Lock



AT A GLANCE

- Electrostatically painted steel, red RAL 3020
- 4 kg, folds down to 8 cm
- Fixed with 6 anchors Ø16×90 mm and 6 bolts Ø10×110 mm
- Padlock not included

Product code	**ATZ M604A**
Category	**Parking Blockers**
Brand	**Atto Trafic**
Weight	**4 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/blocator-par care-rabatabil

Technical specifications

Material	Painted Steel
Weight	4 kg
Dimensions L X W X H	45 × 38 × 40 cm
Base Dimensions L X W X H	6 × 12 × 5 cm
Folded Dimensions L X W X H	45 × 65 × 8 cm
Color	Red (RAL 3020)
Mounting System	Dowels Ø16 × 90 mm (x6), Screws Ø10×110 mm (x6)

Description

Of all our parking locks this is the widest and the most firmly anchored: 45 cm wide with 6 fixing points in the ground, against 3 or 4 on the other models. We recommend it for spaces with frequent manoeuvring, where wheels may catch the lock from the side.

It is also the only one in the range painted red, RAL 3020. In a car park where the markings are already yellow, red stands out straight away.

Size and weight

Raised it measures 45×38×40 cm, and laid flat 45×65×8 cm. At 40 cm it is the lowest lock in the range when raised. It weighs 4 kg and is made of electrostatically painted steel.

Fitting

The box contains 6 anchors Ø16×90 mm and 6 bolts Ø10×110 mm. It fits onto concrete or asphalt with a hammer drill and a spanner.

Locking

It locks with a padlock, which is not included – use one you already have or any outdoor padlock bought separately.

Drawings and details · 1/4

Dimensiuni
Dimensions
mm

ATZ M604A



Fier vopsit electrostatic, roșu RAL 3020; lacătul nu este inclus. Greutate 4 kg.
Powder coated iron, red RAL 3020; padlock not included. Weight 4 kg.
Pliat la sol: 45 x 65 cm, 8 cm înălțime.
Folded down: 45 x 65 cm, 8 cm high.
Se prinde în 6 puncte: 6 dibluri Ø16 x 90 mm și 6 șuruburi Ø10 x 110 mm, incluse.
Fixed at 6 points: 6 Ø16 x 90 mm dowels and 6 Ø10 x 110 mm screws, included.

ATZ M604A dimensions

Drawings and details · 2/4

Detalii
Details

ATZ M604A



Semnul de parcare interzisă, sus
No parking symbol at the top



Bandă negru-galben pe brațe
Black and yellow band on the arms



Talpă cu găuri de prindere
Foot with fixing holes




Bara din mijloc, cu talpa ei
The middle bar, with its own foot

ATZ M604A details

Drawings and details · 3/4

Cum se folosește
How it is used

ATZ M604A



Când ajungi, descui și culci blocatorul la sol. Când pleci, îl ridici și îl încui la loc.
When you arrive, unlock it and fold it down. When you leave, raise it and lock it again.
La mașinile foarte joase, verifică garda la sol: pliat are 8 cm înălțime.
For very low cars, check the ground clearance: folded it is 8 cm high.

ATZ M604A: how it is used

Drawings and details · 4/4


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

ATZ M604A fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel