Spherical Parking Lock with Key Included



AT A GLANCE

- Electrostatically painted steel, yellow RAL 1023
- Spherical head, 3 kg
- Fixed with 4 anchors Ø16×90 mm and 4 bolts Ø10×110 mm
- Key included

Product code	**ATZ M603A**
Category	**Parking Blockers**
Brand	**Atto Trafic**
Weight	**3 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/blocator-parcare-sferic-cu-cheie-inclusa

Technical specifications

Material	Painted Steel
Weight	3 kg
Dimensions L X W X H	Ø30 × 8 × 65 cm
Base Dimensions L X W X H	16 × 16 × 0.5 cm
Post Dimensions L X W X H	8 × 4 cm
Folded Dimensions L X W X H	30 × 65 × 6 cm
Color	Yellow (RAL 1023)
Mounting System	Screws Ø10×110 mm (x4), Dowels Ø16 × 90 mm (x4)

Description

It is the only model in the range with a rounded Ø30 cm top. It looks less like site equipment, so it suits the entrance of an office, the front of a showroom or a well-kept residential courtyard.

It locks with a key, and the key is included. The body is electrostatically painted steel in yellow RAL 1023 and weighs 3 kg.

A base fixed at 4 points

The base is a 16×16 cm plate fixed with 4 anchors Ø16×90 mm and 4 bolts Ø10×110 mm – one more fixing point than the ATZ M601A and ATZ M602A.

The lowest when folded

Laid flat it measures 30×65×6 cm. At 6 cm it is the thinnest folded lock in the range, so it is also the easiest to drive over in a low car.

Fitting

On concrete or asphalt, with a hammer drill and a spanner. The anchors and bolts are in the box.

Drawings and details · 1/4

Dimensiuni

Dimensions

mm

ATZ M603A



Fier vopsit electrostatic, galben RAL 1023; cheie inclusă. Greutate 3 kg.
Powder coated iron, yellow RAL 1023; key included. Weight 3 kg.
Stâlp 8 x 4 cm; bază 16 x 16 x 0,5 cm; cerc Ø30 cm.
8 x 4 cm post; 16 x 16 x 0.5 cm base; Ø30 cm circle.
Pliat la sol: 30 x 65 cm, 6 cm înălțime.
Folded down: 30 x 65 cm, 6 cm high.
Se prinde în 4 puncte: 4 dibluri Ø16 x 90 mm și 4 șuruburi Ø10 x 110 mm, incluse.
Fixed at 4 points: 4 Ø16 x 90 mm dowels and 4 Ø10 x 110 mm screws, included.

ATZ M603A dimensions

Drawings and details · 2/4

Detalii
Details

ATZ M603A




Cap rotund Ø30 cm cu semnul de parcare interzisă
Ø30 cm round head with the no parking symbol



Săgeți negre pe stâlp
Black chevrons on the post




Încuietoare cu cheie, inclusă
Key lock, included



Placă de bază de 16 x 16 cm, 4 găuri
16 x 16 cm base plate, 4 holes

ATZ M603A details

Drawings and details · 3/4



Când ajungi, descui și culci blocatorul la sol. Când pleci, îl ridici și îl încui la loc.
When you arrive, unlock it and fold it down. When you leave, raise it and lock it again.
La mașinile foarte joase, verifică garda la sol: pliat are 6 cm înălțime.
For very low cars, check the ground clearance: folded it is 6 cm high.

ATZ M603A: how it is used

Drawings and details · 4/4


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

ATZ M603A fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel