Reflective Road Stud, ABS, Yellow, 2 Reflectors, 10.5×10.5 cm



AT A GLANCE

- Square road stud in ABS, yellow.
- 10.5 × 10.5 cm, 2 cm high, 110 g.
- Red and white reflectors on opposite sides.
- Fixed with 2 screws and anchors, included.

Product code	**ATE 12005**
Category	**Road Studs**
Weight	**0.11 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/buton-rutier-reflectorizant-din-abs-galben-cu-2-catadioptri-10-5×10-5-cm

Technical specifications

Type	Reflective road stud, screw-fixed
Material	ABS
Colour	Yellow
Reflectors	2 reflectors on opposite sides: one red, one white
Installation	2 screws and 2 anchors 7.5 × 80 mm, included
Orientation	Reflectors facing the two directions of travel

Description

The ATE 12005 is the classic road stud shape: a low, square body in yellow ABS with one reflector on each of two opposite sides: one red and the other white, so the stud shows one colour to traffic from one direction and another to traffic from the other.

Technical data

- dimensions: 10.5 × 10.5 cm;
- height: 2 cm;
- material: ABS, yellow;
- reflectors: 2 cat's eyes, red and white;
- weight: 110 g.

Installation

It is fixed with 2 screws and 7.5 × 80 mm anchors, included, through the holes on top. Fit the stud with the reflectors facing along the direction of travel, so the headlights hit them.

Where it is used

On the centre line of a two-way driveway, along the edge of a ramp, at the entrance to a car park or a company yard. At 2 cm high, it is the lowest screw-fixed stud in the range.


For heavy traffic

If you need a stated load rating, the ABS stud ATT 9007 is rated 10-20 t and the aluminium ATT 9008, 30 t. Both are bonded with two-part epoxy or bituminous adhesive.

Drawings and details · 1/3

Dimensiuni
Dimensions
mm

ATE 12005



105 x 105 x 20 mm, ABS. Galben; greutate 110 g.
105 x 105 x 20 mm, ABS. Yellow; weight 110 g.
2 reflectorizante pe laturi opuse: unul roșu, unul alb.
2 reflectors on opposite sides: one red, one white.
Montaj: 2 șuruburi și 2 dibluri de 7,5 x 80 mm, incluse.
Installation: 2 screws and 2 anchors 7.5 x 80 mm, included.

ATE 12005 dimensions

Drawings and details · 2/3

Detalii
Details

ATE 12005




Reflectorizant roșu
Red reflector



2 găuri pentru șuruburi
2 screw holes



Corp din ABS galben, laturi înclinate
Yellow ABS body, sloped sides



Zona albă de la capătul reflectorizantului
The white part at the end of the reflector

ATE 12005 details


Drawings and details · 3/3

Cum se montează
How it is fitted

ATE 12005


Exemplu: pe axul unei alei cu dublu sens

butonii, mărit




Example: on the centre line of a two-way driveway · studs enlarged

Orientare, văzut de sus
Orientation, seen from above



Secțiune schematică
Schematic section



Șuruburi și dibluri, în găuri date în asfalt sau beton
Screws and anchors, in holes drilled in asphalt or concrete

Montaj: 2 șuruburi și 2 dibluri de 7,5 x 80 mm, incluse.
Installation: 2 screws and 2 anchors 7.5 x 80 mm, included.

Orientare: reflectorizantele spre cele două sensuri de mers.
Orientation: reflectors facing the two directions of travel.

How ATE 12005 is fitted