Reflective Road Stud, PPC, Yellow, 4 Reflectors, 15×13 cm

LIMITED STOCK



AT A GLANCE

- Road stud in PPC, yellow.
- 15 × 13 cm, 3 cm high, 180 g.
- 4 cat's eyes, 2 on each side.
- 4 screws and 4 anchors, included.

Product code	**ATO 5120**
Category	**Products on Promotion**
Weight	**0.18 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/buton-rutier-reflectorizant-din-ppc-galben-cu-4-catadioptri-15×13-cm

Technical specifications

Type	Reflective road stud, screw-fixed
Material	PPC
Colour	Yellow
Reflectors	4 cat's eyes: 2 white on one side, 2 orange on the opposite side
Installation	4 screws and 4 anchors, included
Orientation	One pair of cat's eyes facing each direction of travel

Description

The ATO 5120 is a wide stud in yellow PPC with sloping sides and 4 cat's eyes: two white on one side and two orange on the opposite side, going by the photo. Its large surface makes it easy to spot by day, and the different colours tell drivers which direction they are travelling in.

Technical data

- dimensions: 15 × 13 cm;
- height: 3 cm;
- material: PPC, yellow;
- reflectors: 4 cat's eyes;
- weight: 180 g.

Installation

It is fixed with 4 screws and 4 anchors, included, through the holes on top. Line the cat's eyes up with the direction of travel, one pair facing each way.

Where it is used

On the centre line of two-way aisles in car parks and company yards, along the edges of ramps or to mark an area where parking is not allowed.


Same series

A smaller 13 × 9 cm stud with glass lenses is the ATO 5100. For a longer line, the oval ATO 5140 is 22 cm long with 6 glass lenses.

Drawings and details · 1/3

Dimensiuni
Dimensions
mm

ATO 5120



150 x 130 x 30 mm, PPC. Galben; greutate 180 g.
150 x 130 x 30 mm, PPC. Yellow; weight 180 g.
4 ochi de pisică: 2 albi pe o latură, 2 portocalii pe latura opusă.
4 cat's eyes: 2 white on one side, 2 orange on the opposite side.
Montaj: 4 șuruburi și 4 dibluri, incluse.
Installation: 4 screws and 4 anchors, included.

ATO 5120 dimensions

Drawings and details · 2/3

Detalii
Details

ATO 5120



Ochi de pisică portocaliu, 2 pe o latură
Orange cat's eye, 2 on one side



Ochi de pisică alb, 2 pe latura opusă
White cat's eye, 2 on the opposite side



4 găuri pentru șuruburi
4 screw holes



Latură înclinată, cu nervuri
Sloped side with ribs

ATO 5120 details


Drawings and details · 3/3

Cum se montează
How it is fitted

ATO 5120


Exemplu: pe axul unei alei cu dublu sens

butonii, mărit




Example: on the centre line of a two-way driveway · studs enlarged

Orientare, văzut de sus
Orientation, seen from above



Secțiune schematică
Schematic section



Șuruburi și dibluri, în găuri date în asfalt sau beton
Screws and anchors, in holes drilled in asphalt or concrete

Montaj: 4 șuruburi și 4 dibluri, incluse.
Installation: 4 screws and 4 anchors, included.

Orientare: câte o pereche de ochi de pisică spre fiecare sens de mers.
Orientation: one pair of cat's eyes facing each direction of travel.

How ATO 5120 is fitted