Round Reflective Road Stud, PPC, Yellow, 6 Reflectors, Ø14 cm



AT A GLANCE

- Round road stud in PPC, yellow.
- Ø14 cm, 2.5 cm high, 105 g.
- 6 red and white reflectors around the edge.
- Fixed with a single central screw, included.

Product code	**ATZ 8001**
Category	**Road Studs**
Brand	**Atto Trafic**
Weight	**0.105 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/buton-rutier-reflectorizant-rotund-din-ppc-galben-cu-6-catadioptri-o14-cm

Technical specifications

Type	Round reflective road stud, screw-fixed
Material	PPC
Colour	Yellow
Diameter	Ø14 cm
Reflectors	6 hexagonal cat's eyes, 3 red and 3 white, alternating
Installation	1 concrete screw 7.5 × 80 mm, included, through the central hole
Orientation	No set direction: visible from every side

Description

The ATZ 8001 is a round road stud in yellow PPC plastic with 6 reflectors set all the way round: three red and three white, alternating. Because it has no set direction, it shows up whichever way the car comes from, which makes it a good fit for roundabouts, the corners of traffic islands and junctions inside car parks.

Technical data

- diameter: Ø14 cm;
- height: 2.5 cm;
- material: PPC, yellow;
- reflectors: 6 cat's eyes;
- weight: 105 g.

Installation

The stud has a single hole in the centre and is fixed with one 7.5 × 80 mm concrete screw, included. Its profile is low and rounded, so wheels roll over it without catching.

Where it is used

Along car park aisles, on the dividing line of a ramp, round a small roundabout or at the edge of an area where vehicles should not go. The yellow shows by day and the reflectors at night, in the headlights.

Other shapes

For a continuous line, the elongated ATZ 8002 stud is 21 cm long and has 8 reflectors.

Drawings and details · 1/3

Dimensiuni


ATZ 8001

Dimensions

mm


Vedere de sus

Top view



Vedere din lateral

Side view



Ø140 x 25 mm, PPC. Galben; greutate 105 g.
Ø140 x 25 mm, PPC. Yellow; weight 105 g.

6 ochi de pisică hexagonali, 3 roșii și 3 albi, alternând.
6 hexagonal cat's eyes, 3 red and 3 white, alternating.


Montaj: 1 șurub pentru beton de 7,5 x 80 mm, inclus, prin gaura din centru.
Installation: 1 concrete screw 7.5 x 80 mm, included, through the central hole.

ATZ 8001 dimensions


Drawings and details · 2/3

Detalii
Details

ATZ 8001




Ochi de pisică hexagonal, roșu
Red hexagonal cat's eye



Ochi de pisică hexagonal, alb
White hexagonal cat's eye



Gaură centrală pentru șurub
Central screw hole



Margine joasă, rotunjită
Low, rounded edge

ATZ 8001 details


Drawings and details · 3/3

Cum se montează
How it is fitted

ATZ 8001


Exemplu: în jurul unei insule de trafic

butonii, mărit




Example: around a traffic island

Orientare, văzut de sus
Orientation, seen from above



se vede din orice parte
visible from every side

Secțiune schematică
Schematic section



Șurub pentru beton, în găuri date în asfalt sau beton
Concrete screw, in holes drilled in asphalt or concrete

Montaj: 1 șurub pentru beton de 7,5 x 80 mm, inclus, prin gaura din centru.
Installation: 1 concrete screw 7.5 x 80 mm, included, through the central hole.

Orientare: fără direcție: se vede din orice parte.
Orientation: no set direction: visible from every side.

How ATZ 8001 is fitted