PPC Speed Bump End Cap (ATZ 50250), 10×25×5 cm

ECONOMIC | Signs compliant with SR 1848-1:2024



AT A GLANCE

- End cap for the ATZ 50250 speed bump.
- PPC, 10 × 25 × 5 cm, 0.42 kg; black or yellow.
- 2 anchors and 2 bolts included.

Product code	**ATZ 50251**
Category	**Speed Bumps**
Brand	**Atto Trafic**
Weight	**0.42 kg**
Compliance	**Signs compliant with SR 1848-1:2024**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/capac-limitator-de-viteza-din-ppc-atz-50250-10×25×5-cm

Technical specifications

Material	PPC
Color	Black / Yellow
Installation	2 Dowels, 2 Screws

Description

A 10 cm piece weighing only 0.42 kg that closes a row of ATZ 50250 bumps at the edge. It has the same width in the direction of travel, 25 cm, and the same height, 5 cm, with the end rounded towards the kerb.

Colour

Like the bump, the cap comes in black and in yellow. If the row ends with a black bump, a yellow cap keeps the colours alternating right to the end.

Joining and fitting

The bump and the cap are separate parts that slot into each other. The cap is fixed with 2 anchors and 2 bolts supplied in the box. The edges are rounded and the surface is smooth.

How many caps

Two per row. A row of almost 2 m is made from 6 ATZ 50250 bumps, plus 2 ATZ 50251 caps at the ends.


For the larger model

The 50 cm PPC bump, the ATZ 50500, has its own cap, the ATZ 50501, because its width and height are different.

Drawings and details · 1/3

Dimensiuni: 10 x 25 x 5 cm
Dimensions: 10 x 25 x 5 cm

ATZ 50251



Dimensiuni în mm. PPC, negru sau galben; 0,42 kg; 2 dibluri + 2 șuruburi incluse.
Dimensions in mm. PPC, black or yellow; 0.42 kg; 2 dowels + 2 screws included.
Se pune câte un capac la fiecare capăt al rândului.
One end cap goes at each end of the row.

ATZ 50251 dimensions

Drawings and details · 2/3

Cum se montează un rând, alternat negru și galben

ATZ 50251

How a row goes together, alternating black and yellow



3 catadioptri roșii pe o latură, 3 albi pe cealaltă
3 red cat eyes on one side, 3 white on the other



ATZ 50250



ATZ 50251

Dimensiuni în mm: 5 x ATZ 50250 + 2 x ATZ 50251. Se vinde pe bucată; 3 limitatoare pe metru, alternate.
Dimensions in mm: 5 x ATZ 50250 + 2 x ATZ 50251. Sold per piece; 3 bumps per metre, alternating.
Pentru 2 m: 6 x ATZ 50250 + 2 x ATZ 50251; cu tot cu capace, rândul are 2,2 m.
For 2 m: 6 x ATZ 50250 + 2 x ATZ 50251; with the end caps the row is 2.2 m long.

ATZ 50251: how it is fitted

Drawings and details · 3/3


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

ATZ 50251 fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel