# Simple Galvanised Clamp for Ø48 mm Post



## AT A GLANCE

- Simple galvanised metal clamp for a Ø48 mm post.
- Omega shape with two drilled lugs; bolts and nuts included.
- 2 clamps for a normal-size sign.
- For mounting road signs on a post.

| | |
|---|---|
| Product code | **ATT 48c** |
| Category | **Road Safety Accessories** |
| Weight | **0.1 kg** |

This product on attotrafic.ro
**https://attotrafic.ro/en_US/products/clema-zincata-simpla-pentru-stalp-o48-mm**

## Technical specifications

| | |
|---|---|
| **Type** | Simple clamp for fixing a sign to a post |
| **Post diameter** | Ø48 mm |
| **Material** | Zinc-coated metal |
| **Shape** | Omega shape, with two drilled lugs |
| **Included** | Bolts and nuts |
| **How many** | 2 clamps for a standard-size sign |

## Description

The ATT 48c is the simple clamp used to mount road signs on Ø48 mm posts. It is a galvanised sheet-metal strap without an anti-rotation pin, and it holds the sign on the post once the bolts are tightened.

### Technical data

- for posts with a 48 mm diameter;
- material: galvanised metal;
- simple clamp, no anti-rotation pin;
- bolts and nuts included;
- weight: 0.1 kg.

### Fitting

The clamp is omega-shaped with two drilled lugs. It wraps around the post, and the lugs are bolted to the back of the sign with the bolts and nuts supplied. A normal-size sign takes 2 clamps, one at the top and one at the bottom. The galvanising protects the metal from rust.

## Which posts

It fits Ø48 mm sign posts. The top end of the post is closed with the ATT 48d plastic cap. For Ø60 mm posts, use the ATT 60c clamp.


## Where it is used

When mounting warning, prohibition, mandatory or information signs on new posts, or when replacing old, rusty clamps.

## Drawings and details · 1/3

**Dimensiuni**
Dimensions
mm

**ATT 48c**




stâlpul, văzut de sus · the post, seen from above

**Clema se strânge pe stâlpul de Ø48 mm; prin urechi se prinde de indicator.**
The clamp closes around the Ø48 mm post; the lugs bolt to the sign.

Clemă simplă pentru prinderea indicatorului pe stâlp, metal zincat; greutate 100 g.
Simple clamp for fixing a sign to a post, Zinc-coated metal; weight 100 g.
Diametru stâlp: ø48 mm.
Post diameter: ø48 mm.
Formă: omega, cu două urechi găurite.
Shape: omega shape, with two drilled lugs.
Incluse: șuruburi și piulițe.
Included: bolts and nuts.

ATT 48c dimensions

## Drawings and details · 2/3

**Detalii**
Details

**ATT 48c**




**Ureche găurită, pentru șurub**
Drilled lug, for a bolt



**Arc neted, fără știft antirotație**
Smooth arch, no anti-rotation pin



**Tablă zincată, îndoită în formă de omega**
Galvanised sheet, bent into an omega




**A doua ureche, pe partea opusă**
The second lug, on the opposite side

ATT 48c details

## Drawings and details · 3/3

**Cum se montează** **ATT 48c**

How it is fitted



**Înainte de strângere**
Before tightening

**Montat**
Fitted

Pe spatele indicatorului e canalul de prindere: șuruburile cu cap pătrat intră în canal, clema înconjoară stâlpul, piulițele se strâng pe urechi.
The fixing channel is on the back of the sign: the square-head bolts slide into it, the clamp goes round the post and the nuts tighten on the lugs.

Pentru un indicator de mărime normală se folosesc 2 cleme, una sus și una jos.
A standard-size sign takes 2 clamps, one at the top and one at the bottom.

Șuruburile și piulițele sunt incluse.
Bolts and nuts are included.

How ATT 48c is used