Threaded Plastic Sign, Two-Way Traffic, 39 cm

TWO-SIDED



AT A GLANCE

- Triangular plastic "Two-way traffic" sign, yellow background.
- 39 cm high, 0.5 kg.
- Honeycomb reflective film.
- 35 mm thread, for portable posts and cones.

Product code	**ATZ 778**
Category	**Plastic Signs**
Brand	**Atto Trafic**
Weight	**0.5 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/indicator-din-plastic-cu-filet-circulatie-in-ambele-sensuri-39-cm

Technical specifications

Material	PP
Reflective	Honeycomb
Thread	35 mm

Description

Two black arrows, one pointing up and one pointing down, on a yellow background inside the red-bordered triangle: from here on, vehicles come from both directions. The ATZ 778 warns drivers who have been on a one-way road so far that, from the sign onwards, they will also meet oncoming vehicles. The yellow background is that of temporary signing: on public roads, the same symbol on yellow is the U10 sign in SR 1848-1:2024.

Technical data

- triangle, 39 cm high;
- yellow background, red border, two black arrows;
- material: PP, with honeycomb reflective film;
- 35 mm threaded base;
- weight: 0.5 kg.

Mounting

It screws into the threaded socket of a portable post, such as the ATZ 63315R2, or straight into the thread at the top of a cone, such as the V6-60R parking cone. On cones with a loop on top, cut off the loop first. When the works are over and the one-way system is back, unscrew it and keep it for the next job.

Where it is used

During works, a road that is normally one-way sometimes has to carry traffic both ways: a driveway in a car park or a housing estate, the road through a factory or warehouse yard, an access ramp. The sign goes where the two-way stretch begins, because its meaning starts at the sign.


Together with

Before it, the "Road works" sign, the ATZ 782, announces the work zone. On a narrowed lane, follow it with the ATZ 549 speed limit and, at the obstacle, the ATZ 541 keep-right sign, so each driver stays on their own side.

Drawings and details · 1/3

Dimensiuni: 39 cm, filet Ø35 mm **ATZ 778**

Dimensions: 39 cm, Ø35 mm thread




Dimensiuni în mm. Zona imprimată are înălțimea de 390 mm.
Dimensions in mm. The printed area is 390 mm high.
Plastic PP, grosime 23 mm. Filetul este același la toate produsele noastre cu filet.
PP plastic, 23 mm thick. The thread is the same on all our threaded products.

ATZ 778 dimensions: 39 cm, Ø35 mm thread

Drawings and details · 2/3

Detalii: filet Ø35 mm
Details: Ø35 mm thread

ATZ 778



Filet Ø35 mm, lungime 20 mm
Ø35 mm thread, 20 mm long

Se înșurubează direct, fără adaptor, în filetul din vârful conurilor, al stâlpilor mobili și al delimitatorilor flexibili.
It screws straight in, with no adapter, into the thread at the top of cones, portable posts and flexible delineators.
Pe conurile cu buclă în vârf, bucla se taie mai întâi.
On cones with a loop on top, cut the loop off first.

ATZ 778 details: Ø35 mm thread

Drawings and details · 3/3

Montat pe stâlp mobil sau pe con **ATZ 778**
Fitted on a portable post or a cone



pe stâlpul mobil ATZ 63315R2
on the ATZ 63315R2 portable post



pe conul V6-60R
on the V6-60R cone

Stâlpul și conul se comandă separat.
The post and the cone are ordered separately.

ATZ 778 fitted on a portable post or a cone