Threaded Plastic Sign, Uneven Road, 39 cm



AT A GLANCE

- Triangular plastic "Uneven road" sign.
- 39 cm high, 0.45 kg.
- Honeycomb reflective film.
- 35 mm thread, for portable posts and cones.

Product code	**ATZ 779**
Category	**Plastic Signs**
Brand	**Atto Trafic**
Weight	**0.45 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/indicator-din-plastic-cu-filet-drum-cu-denivelari-39-cm

Technical specifications

Material	PP
Reflective	Honeycomb
Thread	35 mm

Description

A new speed bump, a stretch of milled asphalt or a pothole that has not been repaired yet catches out a driver who has not been warned. The ATZ 779 is the triangular sign with a red border and the uneven-road symbol, placed a few dozen metres ahead so cars slow down in time.

Technical data

- triangle, 39 cm high;
- material: PP, with honeycomb reflective film;
- 35 mm threaded base;
- weight: 0.45 kg.

Mounting

It screws into the threaded socket of a portable post, such as the ATZ 63100R2, or straight into the thread at the top of a cone. On cones with a loop on top, cut off the loop first. It comes off just as easily once the surface has been repaired.

Where it is used

Ahead of speed bumps in car parks, yards and housing estates, on access roads with potholes, on stretches under repair with the asphalt removed or on site roads.


Together with

To limit speed as well, place the "30 km/h" sign, the ATZ 548, after it. For hazards without a specific symbol, use "Other danger", the ATZ 776.

Drawings and details · 1/3

Dimensiuni: 39 cm, filet Ø35 mm **ATZ 779**

Dimensions: 39 cm, Ø35 mm thread




Dimensiuni în mm. Zona imprimată are înălțimea de 390 mm.
Dimensions in mm. The printed area is 390 mm high.
Plastic PP, grosime 23 mm. Filetul este același la toate produsele noastre cu filet.
PP plastic, 23 mm thick. The thread is the same on all our threaded products.

ATZ 779 dimensions: 39 cm, Ø35 mm thread

Drawings and details · 2/3

Detalii: filet Ø35 mm
Details: Ø35 mm thread

ATZ 779



Filet Ø35 mm, lungime 20 mm
Ø35 mm thread, 20 mm long

Se înșurubează direct, fără adaptor, în filetul din vârful conurilor, al stâlpilor mobili și al delimitatorilor flexibili.
It screws straight in, with no adapter, into the thread at the top of cones, portable posts and flexible delineators.
Pe conurile cu buclă în vârf, bucla se taie mai întâi.
On cones with a loop on top, cut the loop off first.

ATZ 779 details: Ø35 mm thread

Drawings and details · 3/3

Montat pe stâlp mobil sau pe con **ATZ 779**
Fitted on a portable post or a cone



pe stâlpul mobil ATZ 63315R2
on the ATZ 63315R2 portable post



pe conul V6-60R
on the V6-60R cone

Stâlpul și conul se comandă separat.
The post and the cone are ordered separately.

ATZ 779 fitted on a portable post or a cone