Threaded Plastic Sign, Road Narrows on the Right, 39 cm



AT A GLANCE

- Triangular plastic "Road narrows on the right" sign.
- 39 cm high, 0.45 kg.
- Honeycomb reflective film.
- 35 mm thread, for portable posts and cones.

Product code	**ATZ 774**
Category	**Plastic Signs**
Brand	**Atto Trafic**
Weight	**0.45 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/indicator-din-plastic-cu-filet-drum-ingustat-pe-partea-dreapta-39-cm

Technical specifications

Material	PP
Reflective	Honeycomb
Thread	35 mm

Description

Most small works happen along the right-hand edge: an open manhole, a kerb repair, a trench for a service connection, a service vehicle stopped by the pavement. The ATZ 774 tells drivers the lane narrows from the right and they should keep to the left.

Technical data

- triangle, 39 cm high;
- material: PP, with honeycomb reflective film;
- 35 mm threaded base;
- weight: 0.45 kg.

Mounting

On a cone, it screws straight into the thread at the top, with no adapter; on a portable post, it screws straight into the socket, for example on the ATZ 63315R2. On cones with a loop on top, cut off the loop first.

Where it is used

For water, gas or power works along the roadside, pavement and kerb repairs, car park aisles with one side blocked or access roads to building sites.

A complete set-up

Put "Road works", the ATZ 782, first, then this sign, and at the obstacle "Keep left", the ATZ 539. Mark out the area with cones or barrier tape.

Other versions


For narrowing on the left, see the ATZ 775, and on both sides, the ATZ 777.

Drawings and details · 1/3

Dimensiuni: 39 cm, filet Ø35 mm

Dimensions: 39 cm, Ø35 mm thread

ATZ 774




Dimensiuni în mm. Zona imprimată are înălțimea de 390 mm.
Dimensions in mm. The printed area is 390 mm high.
Plastic PP, grosime 23 mm. Filetul este același la toate produsele noastre cu filet.
PP plastic, 23 mm thick. The thread is the same on all our threaded products.

ATZ 774 dimensions: 39 cm, Ø35 mm thread

Drawings and details · 2/3

Detalii: filet Ø35 mm
Details: Ø35 mm thread

ATZ 774



Filet Ø35 mm, lungime 20 mm
Ø35 mm thread, 20 mm long

Se înșurubează direct, fără adaptor, în filetul din vârful conurilor, al stâlpilor mobili și al delimitatorilor flexibili.
It screws straight in, with no adapter, into the thread at the top of cones, portable posts and flexible delineators.
Pe conurile cu buclă în vârf, bucla se taie mai întâi.
On cones with a loop on top, cut the loop off first.

ATZ 774 details: Ø35 mm thread

Drawings and details · 3/3

Montat pe stâlp mobil sau pe con **ATZ 774**
Fitted on a portable post or a cone



pe stâlpul mobil ATZ 63315R2
on the ATZ 63315R2 portable post



pe conul V6-60R
on the V6-60R cone

Stâlpul și conul se comandă separat.
The post and the cone are ordered separately.

ATZ 774 fitted on a portable post or a cone