# Threaded Plastic Sign, Road Narrows on the Left, 39 cm



## AT A GLANCE

- Triangular plastic "Road narrows on the left" sign.
- 39 cm high, 0.45 kg.
- Honeycomb reflective film.
- 35 mm thread, for portable posts and cones.

| | |
|---|---|
| Product code | **ATZ 775** |
| Category | **Plastic Signs** |
| Brand | **Atto Trafic** |
| Weight | **0.45 kg** |

This product on attotrafic.ro
**https://attotrafic.ro/en_US/products/indicator-din-plastic-cu-filet-drum-ingustat-pe-partea-stanga-39-cm**

## Technical specifications

| | |
|---|---|
| **Material** | PP |
| **Reflective** | Honeycomb |
| **Thread** | 35 mm |

## Description

The ATZ 775 shows the road narrowing from the left: the left-hand line moves towards the right-hand one, which stays straight. It is used when works, a stopped vehicle or an obstacle take up the left edge and traffic continues on the right of the lane.

### Technical data

- triangle, 39 cm high;
- material: PP, with honeycomb reflective film;
- 35 mm threaded base;
- weight: 0.45 kg.

### Mounting

It screws straight into the thread at the top of a cone, or into the socket of a portable post, such as the ATZ 63315R2.

### Where it is used

On two-way roads with works along the centre line, on one-way streets with works on the left, in car parks or on driveways partly taken up by scaffolding, skips or machinery.

### How to place it

Put the sign on the right, before the narrowing, and at the works line up the cones at an angle to guide cars to the right. At the obstacle you can add the "Keep right" sign, the ATZ 540.

## Other versions


For narrowing on the right, see the ATZ 774, and on both sides, the ATZ 777.

## Drawings and details · 1/3

**Dimensiuni: 39 cm, filet Ø35 mm**

Dimensions: 39 cm, Ø35 mm thread

**ATZ 775**





Dimensiuni în mm. Zona imprimată are înălțimea de 390 mm.
Dimensions in mm. The printed area is 390 mm high.
Plastic PP, grosime 23 mm. Filetul este același la toate produsele noastre cu filet.
PP plastic, 23 mm thick. The thread is the same on all our threaded products.

ATZ 775 dimensions: 39 cm, Ø35 mm thread

## Drawings and details · 2/3

**Detalii: filet Ø35 mm**
Details: Ø35 mm thread

**ATZ 775**




**Filet Ø35 mm, lungime 20 mm**
Ø35 mm thread, 20 mm long

Se înșurubează direct, fără adaptor, în filetul din vârful conurilor, al stâlpilor mobili și al delimitatorilor flexibili.
It screws straight in, with no adapter, into the thread at the top of cones, portable posts and flexible delineators.
Pe conurile cu buclă în vârf, bucla se taie mai întâi.
On cones with a loop on top, cut the loop off first.

ATZ 775 details: Ø35 mm thread

## Drawings and details · 3/3

**Montat pe stâlp mobil sau pe con** **ATZ 775**

Fitted on a portable post or a cone



**pe stâlpul mobil ATZ 63315R2**
on the ATZ 63315R2 portable post



**pe conul V6-60R**
on the V6-60R cone

Stâlpul și conul se comandă separat.
The post and the cone are ordered separately.

ATZ 775 fitted on a portable post or a cone