Threaded Plastic Sign, 30 km/h Speed Limit, Ø28 cm



AT A GLANCE

- Plastic "30 km/h speed limit" sign.
- Ø28 cm disc, 39 cm overall height, 0.35 kg.
- Honeycomb reflective film; 35 mm thread.
- Fits portable posts or cones.

Product code	**ATZ 548**
Category	**Plastic Signs**
Brand	**Atto Trafic**
Weight	**0.35 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/indicator-din-plastic-cu-filet-limita-de-viteza-30-km-h-o28-cm

Technical specifications

Dimensions	28 × 39 cm
Material	PP
Reflective	Honeycomb
Weight	0.35 kg
Thread	35 mm

Description

In a large car park, on the driveway of a housing estate or beside a work zone, cars have to go slowly. The ATZ 548 is the round "30 km/h" sign, with a red border and black figures on a yellow background, made of plastic so it is easy to move and place exactly where it is needed.

Technical data

- Ø28 cm disc, 39 cm overall height;
- material: polypropylene (PP), with honeycomb reflective film;
- handle at the top;
- 35 mm threaded spigot at the base;
- weight: 0.35 kg.

How it is mounted

The threaded spigot screws into the socket at the top of portable posts, such as the ATZ 63315R2, or straight into the thread at the top of a cone. On cones with a loop on top, cut off the loop first. No tools are needed, and the sign comes off just as easily.

Where it is used

In private car parks, company yards, campuses, housing estate driveways, at events and beside temporary works. On public roads, permanent signage uses metal signs.

Other signs in the range

For a work zone, combine it with the triangular "Road works" sign, the ATZ 782, and "Uneven road", the ATZ 779.

Drawings and details · 1/3

Dimensiuni: Ø28 cm, filet Ø35 mm

Dimensions: Ø28 cm, Ø35 mm thread

ATZ 548



Dimensiuni în mm. Zona imprimată este cea cotată.
Dimensions in mm. The printed area is the one dimensioned.
Plastic PP. Filetul este același la toate produsele noastre cu filet.
PP plastic. The thread is the same on all our threaded products.

ATZ 548 dimensions: Ø28 cm, Ø35 mm thread

Drawings and details · 2/3



ATZ 548 details: Ø35 mm thread and handle

Drawings and details · 3/3

Montat pe stâlp mobil sau pe con **ATZ 548**

Fitted on a portable post or a cone



pe stâlpul mobil ATZ 63315R2
on the ATZ 63315R2 portable post



pe conul V6-60R
on the V6-60R cone

Stâlpul și conul se comandă separat.
The post and the cone are ordered separately.

ATZ 548 fitted on a portable post or a cone