Red Marker Cone, 50 cm, Weighted Base

ECONOMIC | Signs compliant with SR 1848-1:2024



AT A GLANCE

- Red marker cone, 50 cm, with 2 white bands.
- Black hexagonal weighted base, 39 cm.
- 2.4 kg.
- Economy series.
- Ø35 mm thread on top.

Product code	**V6-50EA**
Category	**Marker Cones**
Brand	**Atto Trafic**
Weight	**2.4 kg**
Compliance	**Signs compliant with SR 1848-1:2024**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/jalon-auto-rosu-50-cm-baza-cu-greutate

Technical specifications

Material	PPC, PVC base
Color	Red
Height	48.3 cm
Size (Base)	39 cm across flats, Ø42.5 cm across corners
Base Shape	Hexagon
Bands	2 white bands with red dots
Top	Ø35 mm thread
Chain Fixing	At the top, with the ATZ 101A and ATZ 330A hooks (not included)

Description

The V6-50EA is the red 50 cm marker cone set on a 39 × 42.5 cm black hexagonal weighted base. It weighs 2.4 kg, two and a half times as much as the V6-50E, so the wind does not move it and it does not tip over at the first knock.

Where to put it
In open car parks, at a yard entrance, in front of a workshop or around a work area, wherever the cone stays in the same spot for hours.

Appearance
The body is red with 2 white bands carrying red dots, and the black base contrasts with it. It belongs to the economy series, with matt colours.

Technical data
- 48.3 cm high;
- 39 × 42.5 cm hexagonal base;
- 2.4 kg.

Accessories
For a barrier chain there are the ATZ 101A and ATZ 330A hooks.

The light version
Without the heavy base, the red 50 cm marker cone is the V6-50E, at 0.95 kg.

Top of the cone
The cone has a Ø35 mm thread on top, with no loop. A plastic sign, a lamp or the ATZ 101A hook screws straight into it, with no adapter.

Chain and stacking
The plastic chain fastens at the top: screw the ATZ 101A hook into the thread, then fasten the chain to its ring with the ATZ 330A hook. That is how you link the cones together. The hooks and the chain are ordered separately. The black PVC base goes over the base of the cone and does not stop the cones from stacking.

What the roadworks rules require (Order 1112/411/2000)
SR 1848-1:2024 provides the traffic cone (V6) to protect freshly applied markings, to mark off small works and to sign police crews at accident scenes. In a work-zone signing layout, cones belong to the signing that marks the works, together with barrier boards and markers, installed after the advance signing. The methodological rules approved by Order MI/MT no. 1112/411/2000 require temporary signing to be retroreflective at night wherever the existing signing is. Compared with the 2011 edition, SR 1848-1:2024 specifies orange instead of red for the V6 cone. This marker cone is red, so for roadworks signing choose an orange traffic cone, such as the V6-50R2 or V6-50AR2.


The contractor installs the signing to the layout approved by the road authority with the traffic police's agreement, maintains and completes it for the whole job and removes it at the end; accidents caused by incomplete or missing temporary signing are entirely the contractor's responsibility.

Drawings and details · 1/3

Dimensiuni: H 483 mm, bază 390 mm între laturi

V6-50EA

Dimensions: H 483 mm, 390 mm base across flats




Dimensiuni în mm. Filet Ø35 mm în vârf, fără buclă.
Dimensions in mm. Ø35 mm thread on top, no loop.

PPC, bază PVC, roșu, 2,4 kg; 2 benzi albe cu puncte roșii.
PPC, PVC base, red, 2.4 kg; 2 white bands with red dots.

Bază hexagonală neagră, 390 mm între laturi, Ø425 mm pe colțuri, 44 mm înălțime.
Black hexagonal base, 390 mm across flats, Ø425 mm across corners, 44 mm high.

V6-50EA dimensions, height and base, top view


Drawings and details · 2/3



În filet se înșurubează direct, fără adaptor: indicatoare din plastic cu filet, o lampă sau cârligul ATZ 101A.
These screw straight into the thread, no adapter: threaded plastic signs, a lamp or the ATZ 101A hook.
Acestea se comandă separat.
They are ordered separately.

V6-50EA top: Ø35 mm thread, with signs, lamp and hook

Drawings and details · 3/3



V6-50EA: chain fixed at the top and base