Plastic Chain by the Metre, Yellow-Black, 8 mm

Signs compliant with SR 1848-1:2024



AT A GLANCE

- Yellow-black plastic chain, 8 mm.
- Polyethylene (PE), 0.1 kg per metre.
- Sold by the metre.
- For warehouses, industrial halls, loading bays and car parks.

Product code	**V1-80YB**
Category	**Plastic Chains**
Weight	**0.1 kg**
Compliance	**Signs compliant with SR 1848-1:2024**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/lant-din-plastic-la-metru-galben-negru-8-mm

Technical specifications

Material	PE
Color	Yellow + Black
Link Thickness	8 mm
Sold	By the metre
Fixing	With the ATZ 330A hook (not included)

Description

Yellow and black is the combination used for hazards and obstacles: the edge of a loading bay, a support column in an industrial hall, an area where a forklift works or a parking space that must stay free. The V1-80YB is an 8 mm plastic chain with yellow and black links alternating in sections.

By the metre

One metre weighs 0.1 kg. If you have a long area to close off, the V1-803 roll holds 25 m of 8 mm yellow-black chain.

Material

Polyethylene (PE): it does not rust, cleans with water and is light, so it hangs easily from posts, cones or rings fixed to a wall.

What it goes with

The yellow ATD 7580 steel bollard has 2 rings at the top for the chain, and together they make a barrier in matching colours. It also works with portable posts such as the ATZ 63315R2, or with cones fitted with the ATZ 101A hook. The ends are secured with the ATZ 330A hook.

Thinner version

The same colours come in a 6 mm version, the V1-60YB, also sold by the metre.

What the roadworks rules require (Order 1112/411/2000)

SR 1848-1:2024 provides the polyethylene garland or chain (V1) in built-up areas, to mark off works lengthwise. The methodological rules approved by Order MI/MT no. 1112/411/2000 require the contractor, among other things, to set up dedicated pedestrian corridors on the carriageway when the works take up the pavement. Marking off the work zone belongs to the signing that marks the works, installed after the advance signing.


The contractor installs the signing to the layout approved by the road authority with the traffic police's agreement, maintains and completes it for the whole job and removes it at the end; accidents caused by incomplete or missing temporary signing are entirely the contractor's responsibility.

Drawings and details · 1/3

Lanț de 8 mm, vândut la metru **V1-80YB**
8 mm chain, sold by the metre




Zale galbene și negre, care alternează pe segmente
Yellow and black links, alternating in segments



Prețul este pentru un metru. Cantitatea din coș reprezintă numărul de metri.
The price is for one metre. The quantity in the cart is the number of metres.
Polietilenă (PE), 0,1 kg pe metru.
Polyethylene (PE), 0.1 kg per metre.

V1-80YB links, yellow-black, 8 mm thick, by the metre

Drawings and details · 2/3



ATZ 101A se înșurubează în filetul Ø35 mm din vârf, iar ATZ 330A prinde lanțul de inelul lui.
The ATZ 101A screws into the Ø35 mm thread at the top, and the ATZ 330A fastens the chain to its ring.
Pe conurile cu buclă în vârf, bucla se taie mai întâi.
On cones with a loop on top, cut the loop off first.
Stâlpul metalic ATD 7580 are 2 inele, prin care treci direct lanțul.
The ATD 7580 steel bollard has 2 rings, the chain goes straight through them.
Cârligele se comandă separat.
The hooks are ordered separately.


V1-80YB: fixing with the ATZ 101A and ATZ 330A hooks, on a post and on a cone

Drawings and details · 3/3

Utilizare: delimitare cu stâlpi mobili **V1-80YB**

Use: marking off with portable posts





Măsoară de la primul la ultimul stâlp și adaugă aproximativ 10%, ca lanțul să atârne puțin. Pentru 20 m, comandă cam 22 m.
Measure from the first post to the last and add about 10%, so the chain hangs slightly. For 20 m, order about 22 m.

Stâlpii și cârligele se comandă separat.
The posts and hooks are ordered separately.

V1-80YB: chain between portable posts, 2 m apart