
Plastic Chain, 25 m Roll, Yellow-Black, 6 mm

Signs compliant with SR 1848-1:2024



AT A GLANCE

- Yellow-black plastic chain, 6 mm.
- 25 m roll, 1.8 kg.
- Polypropylene (PP).

Product code	**V1-603**
Category	**Plastic Chains**
Weight	**1.8 kg**
Compliance	**Signs compliant with SR 1848-1:2024**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/lant-din-plastic-rola-de-25-m-galben-negru-6-mm

Technical specifications

Material	PP
Color	Yellow + Black
Link	54.89 × 32.32 mm
Link Thickness	6 mm
Length	25 m, in one piece
Fixing	With the ATZ 330A hook (not included)

Description

The V1-603 holds 25 m of 6 mm yellow-black chain on a 1.8 kg roll. The colours are the warning ones, and the thinner chain suits indoor use: access lanes in halls, areas next to machinery, queues at a warehouse reception or reserved parking spaces.

Technical data

- length: 25 m;
- size: 6 mm;
- link: 54.89 × 32.32 mm;
- material: polypropylene (PP);
- weight: 1.8 kg per roll.

Roll or by the metre

A roll is more practical if you mark off several areas or a long route. For a single short piece, the 6 mm yellow-black chain is also sold by the metre: the V1-60YB.

Attaching it

On portable posts the chain fastens at the top, to the ring of the ATZ 101A hook, for example on the ATZ 63315R2 and through the rings of the yellow ATD 7580 bollard. The ends fasten to the ring with the ATZ 330A hook, and on cones the chain fastens the same way.

Larger size

For a more visible barrier in the same colours, choose the 8 mm roll, the V1-803, at 2.5 kg.

What the roadworks rules require (Order 1112/411/2000)


SR 1848-1:2024 provides the polyethylene garland or chain (V1) in built-up areas, to mark off works lengthwise. The methodological rules approved by Order MI/MT no. 1112/411/2000 require the contractor, among other things, to set up dedicated pedestrian corridors on the carriageway when the works take up the pavement. Marking off the work zone belongs to the signing that marks the works, installed after the advance signing.

The contractor installs the signing to the layout approved by the road authority with the traffic police's agreement, maintains and completes it for the whole job and removes it at the end; accidents caused by incomplete or missing temporary signing are entirely the contractor's responsibility.


Drawings and details · 1/3

Zala: 54,89 x 32,32 mm, grosime 6 mm **V1-603**

Link: 54.89 x 32.32 mm, 6 mm thick



Dimensiuni în mm
Dimensions in mm




Zale galbene și negre, care alternează pe segmente
Yellow and black links, alternating in segments

Rolă de 25 m, dintr-o singură bucată. Prețul este pentru o rolă.
25 m roll, in one piece. The price is for one roll.
Polipropilenă (PP), 1,8 kg pe rolă.
Polypropylene (PP), 1.8 kg per roll.

V1-603 link dimensions: 54.89 × 32.32 mm, 6 mm thick


Drawings and details · 2/3



ATZ 101A se înșurubează în filetul Ø35 mm din vârf, iar ATZ 330A prinde lanțul de inelul lui.
The ATZ 101A screws into the Ø35 mm thread at the top, and the ATZ 330A fastens the chain to its ring.
Pe conurile cu buclă în vârf, bucla se taie mai întâi.
On cones with a loop on top, cut the loop off first.
Stâlpul metalic ATD 7580 are 2 inele, prin care treci direct lanțul.
The ATD 7580 steel bollard has 2 rings, the chain goes straight through them.
Cârligele se comandă separat.
The hooks are ordered separately.

V1-603: fixing with the ATZ 101A and ATZ 330A hooks, on a post and on a cone

Drawings and details · 3/3



Cu stâlpi la fiecare 2 m, o rolă de 25 m acoperă în jur de 22 m, după ce lași lanțul să atârne puțin.
With posts every 2 m, one 25 m roll covers about 22 m once you let the chain hang slightly.
Stâlpii și cârligele se comandă separat.
The posts and hooks are ordered separately.

V1-603: chain between portable posts, 2 m apart