One-Way Speed Bump with Metal Spikes, 50×50×6 cm

Signs compliant with SR 1848-1:2024



AT A GLANCE

- One-way speed bump with metal spikes.
- Steel and PPC, 50 × 50 × 6 cm, 7.3 kg; 4 yellow spikes and 2 reflective strips.
- 2 pieces per metre; 6 anchors and 6 bolts included.
- End cap: ATE 12291.

Product code	**ATE 12290**
Category	**Speed Bumps**
Weight	**7.3 kg**
Compliance	**Signs compliant with SR 1848-1:2024**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/limitator-de-viteza-cu-tepi-metalici-pentru-sens-unic-50x50x6-cm

Technical specifications

Material	Iron, PPC
Color	Black
Reflective	2 Plastic Tape
Installation	6 Dowels, 6 Screws
Stroke	4

Description

This is not an ordinary speed bump. Four metal spikes, painted yellow, come up through its black body, angled in the permitted direction of travel. Vehicles coming from that direction cross it like a speed bump. Against the flow, the metal spikes can puncture tyres. Its job is to stop vehicles entering or leaving an area the wrong way: a car park with separate entry and exit, a company yard, an access ramp.

Construction

- black PPC body with a ramp on each side;
- 4 yellow metal spikes;
- 2 yellow reflective strips on top;
- 50 × 50 × 6 cm, 7.3 kg.

Fitting

It fixes at 6 points into concrete or asphalt, with 6 anchors and 6 bolts included. Two pieces fit per metre, and the 9 cm ATE 12291 cap goes at the ends of the row.

Signs are a must


Because the spikes can damage tyres against the flow, the bump must be clearly signed: one-way signs on the permitted side and no-entry signs on the other, placed before it, so drivers know the correct direction in good time.

Drawings and details · 1/3

Dimensiuni: 50 x 50 x 6 cm

Dimensions: 50 x 50 x 6 cm

ATE 12290



Dimensiuni în mm; înălțime 60 mm. Fier și PPC, 7,3 kg; 2 benzi reflectorizante galbene; 6 dibluri + 6 șuruburi incluse.
Dimensions in mm; 60 mm high. Iron and PPC, 7.3 kg; 2 yellow reflective strips; 6 dowels + 6 screws included.
Capacul ATE 12291 se comandă separat.
The ATE 12291 end cap is ordered separately.

ATE 12290 dimensions

Drawings and details · 2/3

Limitatorul și capacul de capăt **ATE 12290**

The bump and its end cap



ATE 12290

ATE 12291



2 limitatoare pe metru; câte un capac la fiecare capăt al rândului.
2 bumps per metre; one end cap at each end of the row.

ATE 12290: how it is fitted

Drawings and details · 3/3

Detalii: țepi, bandă reflectorizantă, prindere

ATE 12290

Details: spikes, reflective strip, fixing



țepi metalici galbeni
yellow metal spikes



bandă reflectorizantă galbenă
yellow reflective strip



gaură de prindere
fixing hole



suprafață antiderapantă
anti-slip surface

Țepii sunt înclinați în sensul de mers permis; pe contrasens pot perfora anvelopele.
The spikes lean in the permitted direction of travel; going the wrong way, they can puncture tyres.

ATE 12290 details