
Tactile Warning Tile for the Visually Impaired, Yellow, 40×40×0.8 cm

Anti-slip



AT A GLANCE

- Tactile warning tile with raised domes.
- TPU, 40 × 40 × 0.8 cm, 0.55 kg, yellow RAL 1003.
- Non-slip surface.
- Fixed with epoxy adhesive (not included).

Product code	**ATZ 9006**
Category	**Tactile Surfaces**
Brand	**Atto Trafic**
Weight	**0.55 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/marcaj-tactil-de-avertizare-pentru-nevazatori-galben-40x40x0-8-cm

Technical specifications

Material	TPU (thermoplastic polyurethane)
Color	Yellow (RAL 1003)
Length	40 cm
Width	40 cm
Height	8.1 mm
Plate thickness	3 mm
Relief height	5.1 mm
Tactile pattern	49 studs (7 × 7)
Studs	truncated cone, Ø30.6 mm at the base, Ø20.4 mm on top
Weight	0.55 kg
Mounting System	Epoxy adhesive (not included)

Description

The raised domes, set in regular rows, tell a blind person to stop: ahead there is a pedestrian crossing, a tram line, the top of a staircase or the edge of a platform. The tile is easy to feel underfoot and with a white cane, and the yellow makes it visible to partially sighted people.

Features

- TPU (thermoplastic polyurethane), 40 × 40 × 0.8 cm;
- 0.55 kg, 100 g lighter than the ATZ 9005 guidance tile;
- yellow RAL 1003;
- non-slip surface.

Coverage

For 1 m² you need 7 tiles (6.25, rounded up). A warning strip 3 m long and 40 cm deep in front of a pedestrian crossing takes 8 tiles.

Installation

It is bonded with epoxy adhesive, which is not included. At 0.8 cm it is as thick as the guidance tiles in the range, so the warning area and the route sit side by side at the same level.

Black version and other formats

On light-coloured floors, use the ATZ 9006-BK, the same tile in black. In the smaller 30 × 30 cm format, the yellow warning tile is the ATZ 9004.


Drawings and details · 1/3

ATZ 9006 – Dală tactilă de avertizare, 40 x 40 cm, galbenă

ATZ 9006 Tactile warning tile, 40 x 40 cm, yellow


400 x 400 mm · dimensiunile produsului

400 x 400 mm · product dimensions



Secțiune prin buton (mărit)

Section through a stud (enlarged)



Dimensiuni în mm. 49 (7 x 7) de butoni trunchi de con, în relief de 5,1 mm; placa are 3 mm.

Dimensions in mm. 49 (7 x 7) truncated-cone studs, 5.1 mm high; the plate is 3 mm thick.

TPU (poliuretan termoplastic), galben RAL 1003, 0,55 kg; suprafață antiderapantă.


TPU (thermoplastic polyurethane), yellow RAL 1003, 0.55 kg; non-slip surface.

Se lipește cu adeziv epoxidic (nu este inclus).

Bonded with epoxy adhesive (not included).

ATZ 9006 dimensions: 400 × 400 mm, Ø30.6 / Ø20.4 mm studs, 8.1 mm high

Drawings and details · 2/3



NP 051-2012: avertizare de cel puțin 60 cm pe toată lățimea rampelor și a scărilor de acces (V.5.3, V.5.4).
NP 051-2012: a warning surface at least 60 cm deep across the whole width of ramps and entrance stairs (V.5.3, V.5.4).

La scări: 60–90 cm, la 30–50 cm de muchia primei trepte (V.2.2.5).
At stairs: 60–90 cm, placed 30–50 cm before the edge of the first step (V.2.2.5).

La treceri normativul cere benzi de ghidaj (IV.4.1), dar nu dă adâncimea avertizării: aici 80 cm.
At crossings the normative asks for guidance strips (IV.4.1) but sets no warning depth: 80 cm here.


Galben la schimbările de nivel (IV.7.2); placa trebuie să contrasteze cu pardoseala.
Yellow where the level changes (IV.7.2); the tile must contrast with the floor.

Where the warning tiles go, per NP 051-2012

Drawings and details · 3/3

Montaj: se lipește cu adeziv epoxidic

Installation: bonded with epoxy adhesive



1 Placa tactilă: TPU, 8,1 mm deasupra adezivului.
The tactile tile: TPU, 8.1 mm above the adhesive.

2 Adeziv epoxidic – nu este inclus. Pregătirea suprafeței și timpul de întărire: după instrucțiunile adezivului.
Epoxy adhesive – not included. Surface preparation and curing time: as the adhesive instructions say.

3 Pardoseala finită: nu se dau găuri și nu se pun șuruburi – placa doar se lipește.
The finished floor: no drilling and no screws – the tile is only glued down.

4 Plăcile vecine se pun cap la cap, la același nivel.
Neighbouring tiles are laid edge to edge, at the same level.

Installing ATZ 9006: bonded to the finished floor with epoxy adhesive