P17 Additional Panel – Pregnant Women and/or Persons with Children up to 5 Years Old, 60×60 cm, Class I

Class I (EGP) Road Signs | Signs compliant with SR 1848-1:2024



AT A GLANCE

- Additional panel P17 "Pregnant Women and/or Persons with Children", to SR 1848-1:2024.
- White square, 60 × 60 cm, in 1 mm galvanised steel sheet.
- Class I retroreflective sheeting, 7-year service life.
- Fixings included: 2 clamps for Ø48 mm posts and 4 bolts with nuts.
- CE marked; sheeting and paint resistant to UV and weathering.

Product code	**P17**
Category	**Metal Road Signs**
Weight	**3 kg**
Compliance	**Class I (EGP) Road Signs**
Compliance	**Signs compliant with SR 1848-1:2024**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/panou-p17-femei-insarcinate-si-sau-persoane-insotite-de-copii-cu-varsta-de-pana-la-5-ani-60x60-cm-clasa-i

Technical specifications

SR 1848-1 code	P17
Name in the standard	Pregnant women and/or persons accompanied by children up to 5 years old
Type	Additional panel
Shape and colours	White square with a black border, showing a pregnant woman and a child, in black
Size	60 × 60 cm
Material	Galvanised steel sheet, 1 mm
Construction	Rounded corners, pressed edges, no sharp edges
Painting	Electrostatic, UV-resistant paint

Retroreflective sheeting	Class I (RA1), UV-resistant
Retroreflection (white, 0.2°/5°)	70 cd/(lx·m²)
Sheeting service life	7 years
Weight	3.2 kg
Fixings included	2 clamps, 4 bolts with nuts
Post diameter	Ø48 mm (Ø60 mm on request)
Standards	SR EN 12899-1:2007, SR 1848-1:2024, SR 1848-2:2011, SR 1848-3:2011
Marking	CE

Description

The panel reserves parking spaces for pregnant women and people accompanied by children up to 5 years old: a pregnant woman and a child, black on white. It is the P17 in SR 1848-1:2024, introduced in the 2024 edition.

When class I is used

The sign has class I (RA1) retroreflective sheeting: 70 cd/(lx·m²) for white and a 7-year service life. It is the economical choice for places without many light sources, such as local, minor and private roads or streets without strong lighting. Where there is street lighting, shop windows or advertising, SR 1848-2 requires prismatic class 2 or 3 sheeting, which stands out better against a lit background.

Where it goes, under SR 1848-1:2024

It goes at parking spaces reserved for vehicles carrying pregnant women and/or people with children up to 5 years old. Like the P13, it can also stand alone right next to the parking spaces.

As a general rule, additional panels always go under the sign whose meaning they complete, on the same post. The exceptions are the P13 and P17, which may stand alone next to reserved parking spaces.

Technical data

- white square with a black border, showing a pregnant woman and a child, in black, 60 × 60 cm;
- 1 mm galvanised steel sheet, with rounded corners and pressed edges, no sharp edges;
- electrostatically painted with UV-resistant paint;
- class I retroreflective sheeting (RA1), resistant to UV and weathering, with a 7-year service life;
- weight: 3.2 kg;
- fixings included: 2 clamps for Ø48 mm posts and 4 bolts with nuts;
- CE marked; compliant with SR EN 12899-1:2007, SR 1848-1:2024, SR 1848-2:2011 and SR 1848-3:2011.

Mounting and size

Fixings for the post are included: 2 clamps for Ø48 mm posts and 4 bolts with nuts; clamps for Ø60 mm posts are available on request. It goes on the same post, right under the sign it completes; the bottom edge of the assembly goes 1.50–2.50 m above the road or kerb.

The post is ordered separately. For a fixed installation in a concrete foundation: the galvanised Ø48 mm post, 300 cm. For temporary use, with no foundation: the Ø48 mm tripod post, 120 cm. On concrete or paving, where you cannot dig: the Ø60 mm flange post, 300 cm, bolted down; for it, ask for the Ø60 mm clamps when you order.

The panel measures 60 × 60 cm.

Drawings and details · 1/3

P17 – Femei însărcinate și/sau persoane însoțite de copii cu vârsta de până la 5 ani

Pregnant women and/or persons accompanied by children up to 5 years old

60 x 60 cm · dimensiunile feței indicatorului

60 x 60 cm · sign face dimensions



Dimensiuni SR 1848-2 (mm)
SR 1848-2 dimensions (mm)

60 x 60 cm
600 x 600 · r = 30
la locurile de parcare rezervate
at reserved parking spaces

Cotele sunt ale feței retroreflectorizante.
Dimensions of the retroreflective face.

Fond alb, chenar și simboluri negre (SR 1848-1:2024).
White background, black border and symbols (SR 1848-1:2024).

Chenar 5 mm.
Border 5 mm.


Panou nou în SR 1848-1:2024, fără dimensiuni în SR 1848-2; 60 x 60 cm, ca P13.
New in SR 1848-1:2024, no size in SR 1848-2; 60 x 60 cm, as P13.

Panoul suport depășește fața cu 5–10 mm (SR 1848-2, 6.1).
The backing panel is 5–10 mm larger than the face (SR 1848-2, 6.1).

Colțurile se racordează cu raza r = 30 mm (SR 1848-2, 6.6).
Corners are rounded with radius r = 30 mm (SR 1848-2, 6.6).

Sursa: figura din SR 1848-1:2024.
Source: the figure in SR 1848-1:2024.


Drawings and details · 2/3



Drawings and details · 3/3

Prindere cu canal și colier, stâlp Ø48 mm

Channel and clamp fixing, Ø48 mm post



1 Canal de prindere din aluminiu (pe spatele panoului)
Aluminium fixing channel (on the back of the panel)

2 Șurub M8 × 35 cu cap pătrat, zincat (2 buc.)
M8 × 35 square-head bolt, galvanised (2 pcs)

3 Colier Ø48 mm din tablă zincată
Ø48 mm clamp, galvanised steel

4 Piuliță M8 zincată (2 buc.)
M8 nut, galvanised (2 pcs)

Set pentru un punct de prindere. Pentru stâlp Ø60 mm, colierele se livrează la cerere.
Set for one fixing point. Clamps for Ø60 mm posts are available on request.