PPC Traffic Separator, 100×20×8 cm



AT A GLANCE

- Yellow PPC base, 100 × 20 × 8 cm.
- Black plate in the middle, with a socket for the post.
- 2 red reflectors at each end.
- 4 fixing holes, with dowels and screws.

Product code	**V18-10**
Category	**Traffic Separators**
Weight	**3.3 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/separator-de-sens-din-ppc-100×20×8-cm

Technical specifications

Material	PPC
Color	Yellow, black plate
Reflective	2 red reflectors at each end
Installation	4 Dowels, 4 Screws
Used with	V18-45 or V18-75 post

Description

The V18-10 is the yellow base of the V18-1045 and V18-1075 separators, without the post. You need it on its own to replace a base, or when you already have the post.

How it is made

The body is yellow PPC, 1 m long, 20 cm wide and 8 cm high, with two cross notches. In the middle there is a black plate, held by 2 screws, with the socket the post sits in.

What shows at night

Each end has 2 red cat's eye reflectors.

Installation

It fixes into asphalt or concrete through the 4 holes, with 4 dowels and 4 screws.

Where it is used

Fitted with a post, the base divides two lanes or two directions of travel where the line on the asphalt is not enough: on the approach to a junction, along a turning lane or at the edge of a cycle lane. Each base covers 1 m, so a continuous 20 m line takes 20 pieces.

Which post it takes

With the V18-45 post you get the 45 cm separator, with the V18-75 the 75 cm one.


Drawings and details · 1/4

Dimensiuni: 1000 x 200 x 80 mm


V18-10

Dimensions: 1000 x 200 x 80 mm


Vedere din față
Front view



Vedere de sus
Top view




Vedere din capăt
End view




Bază din PPC, galbenă, cu placă neagră la mijloc. 4 găuri de prindere.
Yellow PPC base with a black plate in the middle. 4 fixing holes.
Dimensiuni în mm, din desenul produsului. Găurile sunt desenate, fără cote.
Dimensions in mm, from the product drawing. The holes are drawn without dimensions.

V18-10 dimensions: 1000 × 200 × 80 mm

Drawings and details · 2/4





Corpul din PPC și placa neagră sunt piese separate, unite cu cele 2 șuruburi.
The PPC body and the black plate are separate parts, joined by the 2 screws.

V18-10 details: black plate with 2 screws, fixing holes and red reflectors


Drawings and details · 3/4

Cu stâlp flexibil: V18-1045 și V18-1075

With a flexible post: V18-1045 and V18-1075

V18-10

V18-10 + stâlp V18-45
V18-10 + V18-45 post
= V18-1045, înalt de 45 cm
= V18-1045, 45 cm high



V18-10 + stâlp V18-75
V18-10 + V18-75 post
= V18-1075, înalt de 75 cm
= V18-1075, 75 cm high



Baza se prinde în asfalt sau beton, cu 4 dibluri și 4 șuruburi.
The base is fixed into asphalt or concrete with 4 dowels and 4 screws.

V18-10 with the V18-45 or V18-75 post

Drawings and details · 4/4


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

Fixing system: ATZ 80A screw and ATZ 90A dowel