PVC Traffic Separator, 100×15×6 cm

Signs compliant with SR 1848-1:2024



AT A GLANCE

- Low black PVC separator, no post.
- 100 × 15 × 6 cm, 6.5 kg, rounded ends.
- 2 yellow reflective strips on top.
- 3 anchors and 3 bolts included.

Product code	**V18**
Category	**Traffic Separators**
Weight	**6.5 kg**
Compliance	**Signs compliant with SR 1848-1:2024**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/separator-de-sens-din-pvc-100×15×6-cm

Technical specifications

Material	PVC
Color	Black
Reflective	2 Plastic Tape
Installation	3 Dowels, 3 Screws

Description

This is the lowest separator in the category: a black PVC bar 100 cm long, 15 cm wide and only 6 cm high, with no post. It has 2 yellow reflective strips on top and rounded ends.

Where it is used

To mark out cycle lanes. It is also used to separate lanes or directions of travel near a junction, where a low separation is wanted, with no posts sticking up.

Installation

It is fixed at 3 points with 3 anchors and 3 bolts, supplied in the box. Each piece weighs 6.5 kg and is 1 m long, so a 50 m cycle lane marked continuously on one side needs 50 pieces.

Visibility

The yellow strips on top stand out against the black PVC and reflect the headlights, so the line of separators is visible at night as well.

When to choose a model with a post

If the separation has to be seen from higher up, choose a separator with a flexible post: the V18-1050 or V18-1070 with a yellow PPC base, or the V18-2045 and V18-2075 with a rubber base.

Drawings and details


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

V18 fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel