Set of 10 Flexible TPU Delineator Posts, 100 cm, Orange



AT A GLANCE

- 10 ATZ 80100 delineator posts, orange TPU.
- 100 cm, Ø8 cm post, Ø20 cm base, 1.7 kg each.
- Metallised reflective bands.
- 3 plugs and 3 screws per post, included.

Product code	**ATS 80100**
Category	**Signalling Sets**
Weight	**17 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/set-10-stalpi-de-delimitare-flexibili-din-tpu-100-cm-portocaliu

Technical specifications

Material	TPU
Size (Post)	Ø8 cm
Size (Base)	Ø20 cm
Base Shape	Round
Reflective	Metalized

Description

A metre of orange post can be seen from tens of metres away, on a busy road or around a works area. The ATS 80100 set holds 10 ATZ 80100 posts, the tallest delineators in the range, for places where the separation has to be noticed early.

The post

- orange RAL 2009 TPU, UV-protected;
- 100 cm tall, Ø8 cm post, Ø20 cm round base;
- 1.7 kg, metallised reflective bands.

Installation

No foundation: each post is fixed into the asphalt with 3 Ø16 × 90 mm plugs and 3 Ø10 × 110 mm screws, which come in the set. On impact, the post flexes and stands back up.

Where it is used

On public roads to separate directions or lanes, to mark the way round an obstacle, along the edge of a works area and on the internal roads of industrial sites. With a post every 4 m, the set covers 36 m.

Other versions

Where a metre would be too much, the ATS 8075 is 75 cm. The PE version, with 12 posts of 100 cm and honeycomb bands, is the ATS 80100E.

Drawings and details


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

ATS 80100 fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel