
Set of 12 PE Delineator Posts, 100 cm, Orange (ECO)



AT A GLANCE

- 12 ATZ 80100E delineator posts, orange PE; 15.6 kg per set.
- 100 cm, Ø8 cm post, Ø20 cm base, 1.3 kg each.
- 4 honeycomb reflective bands.
- 3 plugs and 3 screws per post, included.

Product code	**ATS 80100E**
Category	**Signalling Sets**
Weight	**15.6 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/set-12-stalpi-de-delimitare-din-pe-100-cm-portocaliu-eco

Technical specifications

Material	PE
Size (Post)	Ø8 cm
Size (Base)	Ø20 cm
Base Shape	Round
Reflective	Honeycomb

Description

At night, in the headlights, the 4 white bands on each post look like a ladder of light that is easy to follow from a distance. The ATS 80100E holds 12 ATZ 80100E posts, a metre tall, the PE version of the tallest delineator in the range.

The post

- orange polyethylene (PE), flexible, UV-protected;
- 100 cm tall, Ø8 cm post, Ø20 cm round base with 3 holes;
- 4 honeycomb reflective bands;
- 1.3 kg each, 0.4 kg less than the TPU post.

Installation

Drill 3 holes in the asphalt, fit the plugs and tighten the screws; the fixings are included for each of the 12 posts.

Where it is used

To separate directions or lanes on roads, to mark the way round obstacles, along the edge of works areas and on the internal roads of logistics sites. With a post every 5 m, the set covers 55 m.

Other versions

In TPU with metallised bands: the ATS 80100 (10 posts). Also in PE, at 75 cm: the ATS 8075E.

Drawings and details


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

ATS 80100E fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel