
Set of 15 PE Delineator Posts, 75 cm, Orange (ECO)



AT A GLANCE

- 15 ATZ 8075E delineator posts, orange PE; 10.5 kg per set.
- 75 cm, Ø8 cm post, Ø20 cm base, 0.7 kg each.
- 3 honeycomb reflective bands.
- 3 plugs and 3 screws per post, included.

Product code	**ATS 8075E**
Category	**Signalling Sets**
Weight	**10.5 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/set-15-stalpi-de-delimitare-din-pe-75-cm-portocaliu-eco

Technical specifications

Material	PE
Size (Post)	Ø8 cm
Size (Base)	Ø20 cm
Base Shape	Round
Reflective	Honeycomb

Description

On an internal road or along a works area, a separation line needs posts that show over car bonnets, and enough of them to leave no gaps. The ATS 8075E holds 15 ATZ 8075E posts, 75 cm tall, in the budget PE version.

The post

- orange PE, flexible, weather-resistant and UV-protected;
- 75 cm tall, Ø8 cm post, Ø20 cm round base;
- 3 white honeycomb reflective bands near the top;
- 0.7 kg each.

Installation

The base is fixed straight onto the asphalt with 3 plugs and 3 screws, included for every post. No foundation is needed.

How many you need

With a post every 3 m, the 15 posts make a 42 m line; with one every 1.5 m, they close off an entrance 21 m wide.

Other versions

In TPU with metallised bands, 10 posts of 75 cm: the ATS 8075. In PE, shorter or taller: the ATS 8045E-14 (45 cm) and the ATS 80100E (100 cm).

Drawings and details


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

ATS 8075E fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel