Set of 4 White Modular Barriers, 150 × 100 cm

Class I (EGP) Road Signs



AT A GLANCE

- 4 ATZ 80150-W modular barriers, white.
- 150 × 100 cm, 12 kg each; 6 m joined up.
- Red-and-white reflective bands, 4 films per barrier.
- They join with a clip and stack flat.

Product code	**ATS 80150-W**
Category	**Signalling Sets**
Weight	**48 kg**
Compliance	**Class I (EGP) Road Signs**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/set-4-bariere-modulare-albe-150-x-100-cm

Technical specifications

Material	PVC, PPC
Reflective	Films

Description

In a yard, at a building entrance or at an event, a red site barrier looks like an emergency. White stands out against asphalt or dug earth but looks tidy. The ATS 80150-W holds 4 ATZ 80150-W barriers, built the same way as the red version.

The barrier

- white PVC and PPC frame, 150 × 100 cm, 5 cm thick, 12 kg;
- two black feet;
- red and white chequered reflective bands top and bottom, 4 films, visible at night;
- a side joining clip and 2 threaded sockets for lights or small signs.

What 4 will do

Joined in a line, they make 6 m of fencing; set out in a square, they close off a 1.5 × 1.5 m area, for example round a manhole. The whole set weighs 48 kg.

Where it is used

To mark off a work area in a yard or car park, for access lanes at events, round unloading areas. Between jobs they stack flat and take up little room. For fixing to the ground, the product sheet specifies 4 plugs and 4 screws per barrier, 2 per foot.


Other colours

Red, for roads and sites: the ATS 80150-R. Yellow: the ATS 80150-Y. Blue: the ATS 80150-BL.

Drawings and details · 1/4


Dimensiuni: 4 garduri de 150 x 100 cm **ATS 80150-W**

Sizes: 4 barriers of 150 x 100 cm



În șir: 4 x 1,5 m = 6 m de împrejmuire

In a row: 4 x 1.5 m = 6 m of fencing



Pe 4 laturi: închid o zonă de 1,5 x 1,5 m, de exemplu un cămin sau o groapă.

On 4 sides: they close a 1.5 x 1.5 m area, such as a manhole or an excavation.

Fiecare gard are 12 kg, tot setul 48 kg. Abatere admisă ± 5 %.

Each barrier weighs 12 kg, the whole set 48 kg. Tolerance ± 5 %.

ATS 80150-W dimensions

Drawings and details · 2/4

Ce conține setul
What is in the set

ATS 80150-W



4 x

ATZ 80150-W

150 x 100 cm, alb
150 x 100 cm, white



Se stivuiesc culcate, pe palet
They stack flat on a pallet

ATS 80150-W: what is in the set


Drawings and details · 3/4

Detalii
Details


ATS 80150-W




Clemă laterală: se prinde de gardul următor
Side clamp: locks onto the next barrier



Soclu filetat Ø32 mm, pentru lampă sau indicator
Threaded Ø32 mm socket for a lamp or sign



Locuri de prindere pentru panoul de 100 x 50 cm
Fixing places for the 100 x 50 cm panel




Picior rotativ de 50 cm, se fixează cu 2 șuruburi
Rotating 50 cm foot, fixed with 2 screws

ATS 80150-W details

Drawings and details · 4/4

Cu indicator și lampă **ATS 80150-W**
With a sign and a lamp



Indicatorul și lampa se montează în cele 2 socluri filetate și se comandă separat
The sign and the lamp fit the 2 threaded sockets and are ordered separately



Indicator din plastic pe soclu
Plastic sign on the socket



Lampă solară ATZ 404-Y pe soclu
ATZ 404-Y solar lamp on the socket

ATS 80150-W with a plastic sign and an ATZ 404-Y lamp mounted on the sockets