Set of 4 Yellow Modular Barriers, 150 × 100 cm

Class I (EGP) Road Signs



AT A GLANCE

- 4 ATZ 80150-Y modular barriers, yellow.
- 150 × 100 cm, 12 kg each; 6 m joined up.
- Red and white chequered reflective bands, 4 films per barrier.
- For factory halls, warehouses and machine areas.

Product code	**ATS 80150-Y**
Category	**Signalling Sets**
Weight	**48 kg**
Compliance	**Class I (EGP) Road Signs**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/set-4-bariere-modulare-galbene-150-x-100-cm

Technical specifications

Material	PVC, PPC
Reflective	Films

Description

Yellow shows up well inside a factory hall or plant: next to inspection pits, forklift areas, machines under maintenance. The ATS 80150-Y holds 4 ATZ 80150-Y barriers, with a yellow frame and red and white chequered bands top and bottom.

Size and weight

- 150 × 100 cm, 5 cm thick, 12 kg each, 48 kg for the whole set;
- PVC and PPC, on two wide black feet;
- 4 reflective films per barrier.

Joining and storage

A clip on the side holds each barrier to the next, so the 4 panels of 1.5 m each close off an area beside a machine or make a 6 m corridor. When you no longer need them, the barriers are laid flat on top of each other and take up little room in a corner of the hall.

Accessories and fixing

The 2 threaded sockets on each barrier take warning lights or small plastic signs. For fixing to a floor or asphalt, the product sheet specifies 4 plugs and 4 screws per barrier, 2 per foot.


Other colours

For roads and sites, the red set, the ATS 80150-R, is used more often. There are also white (ATS 80150-W) and blue (ATS 80150-BL) sets.

Drawings and details · 1/4


Dimensiuni: 4 garduri de 150 x 100 cm **ATS 80150-Y**

Sizes: 4 barriers of 150 x 100 cm



În șir: 4 x 1,5 m = 6 m de împrejmuire

In a row: 4 x 1.5 m = 6 m of fencing



Pe 4 laturi: închid o zonă de 1,5 x 1,5 m, de exemplu un cămin sau o groapă.

On 4 sides: they close a 1.5 x 1.5 m area, such as a manhole or an excavation.

Fiecare gard are 12 kg, tot setul 48 kg. Abatere admisă ± 5 %.

Each barrier weighs 12 kg, the whole set 48 kg. Tolerance ± 5 %.

ATS 80150-Y dimensions

Drawings and details · 2/4

Ce conține setul
What is in the set

ATS 80150-Y



4 x

ATZ 80150-Y

150 x 100 cm, galben
150 x 100 cm, yellow



Se stivuiesc culcate, pe palet
They stack flat on a pallet

ATS 80150-Y: what is in the set


Drawings and details · 3/4

Detalii
Details


ATS 80150-Y



Clemă laterală: se prinde de gardul următor
Side clamp: locks onto the next barrier



Soclu filetat Ø32 mm, pentru lampă sau indicator
Threaded Ø32 mm socket for a lamp or sign



Locuri de prindere pentru panoul de 100 x 50 cm
Fixing places for the 100 x 50 cm panel



Picior rotativ de 50 cm, se fixează cu 2 șuruburi
Rotating 50 cm foot, fixed with 2 screws

ATS 80150-Y details

Drawings and details · 4/4

Cu indicator și lampă **ATS 80150-Y**

With a sign and a lamp



Indicatorul și lampa se montează în cele 2 socluri filetate și se comandă separat

The sign and the lamp fit the 2 threaded sockets and are ordered separately



Indicator din plastic pe soclu

Plastic sign on the socket



Lampă solară ATZ 404-Y pe soclu

ATZ 404-Y solar lamp on the socket

ATS 80150-Y with a plastic sign and an ATZ 404-Y lamp mounted on the sockets