Set of 4 Red Modular Barriers, 150 × 100 cm

Class I (EGP) Road Signs



AT A GLANCE

- 4 ATZ 80150-R modular barriers, red.
- 150 × 100 cm, 12 kg each; 6 m joined up.
- Red-and-white reflective bands, 4 films per barrier.
- Joining clip and 2 threaded sockets per barrier.

Product code	**ATS 80150-R**
Category	**Signalling Sets**
Weight	**48 kg**
Compliance	**Class I (EGP) Road Signs**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/set-4-bariere-modulare-rosii-150-x-100-cm

Technical specifications

Material	PVC, PPC
Reflective	Films

Description

One barrier covers one side; a hole or an open manhole has four. The ATS 80150-R gives you 4 ATZ 80150-R modular barriers to close off a work zone completely or make a continuous 6 m run.

The barrier

- red PVC and PPC frame, 150 × 100 cm, 5 cm thick, on two black feet;
- red and white chequered bands top and bottom, 4 reflective films;
- a clip on the side to join it to the next barrier;
- 2 threaded sockets for warning lights or small plastic signs.

Handling

Each barrier weighs 12 kg and one person can carry it; the whole set weighs 48 kg. In the evening, the barriers are collected and stacked flat on a pallet or in a trailer.

Fixing

They usually stand freely on their feet. Where they must stay put, the product sheet specifies 4 plugs and 4 screws per barrier, 2 per foot.


Other colours

Red is the colour for sites and roads. For yards and events there is the white ATS 80150-W set, for factory halls the yellow ATS 80150-Y; in blue: the ATS 80150-BL. The barriers are also sold singly under barriers.

Drawings and details · 1/4


Dimensiuni: 4 garduri de 150 x 100 cm **ATS 80150-R**

Sizes: 4 barriers of 150 x 100 cm



În șir: 4 x 1,5 m = 6 m de împrejmuire

In a row: 4 x 1.5 m = 6 m of fencing



Pe 4 laturi: închid o zonă de 1,5 x 1,5 m, de exemplu un cămin sau o groapă.

On 4 sides: they close a 1.5 x 1.5 m area, such as a manhole or an excavation.

Fiecare gard are 12 kg, tot setul 48 kg. Abatere admisă ± 5 %.

Each barrier weighs 12 kg, the whole set 48 kg. Tolerance ± 5 %.

ATS 80150-R dimensions

Drawings and details · 2/4

Ce conține setul
What is in the set

ATS 80150-R



4 x

ATZ 80150-R

150 x 100 cm, roșu
150 x 100 cm, red




Se stivuiesc culcate, pe palet
They stack flat on a pallet

ATS 80150-R: what is in the set

Drawings and details · 3/4

Detalii
Details


ATS 80150-R



Clemă laterală: se prinde de gardul următor
Side clamp: locks onto the next barrier



Soclu filetat Ø32 mm, pentru lampă sau indicator
Threaded Ø32 mm socket for a lamp or sign



Locuri de prindere pentru panoul de 100 x 50 cm
Fixing places for the 100 x 50 cm panel



Picior rotativ de 50 cm, se fixează cu 2 șuruburi
Rotating 50 cm foot, fixed with 2 screws

ATS 80150-R details

Drawings and details · 4/4

Cu indicator și lampă **ATS 80150-R**
With a sign and a lamp



Indicatorul și lampa se montează în cele 2 socluri filetate și se comandă separat
The sign and the lamp fit the 2 threaded sockets and are ordered separately



Indicator din plastic pe soclu
Plastic sign on the socket



Lampă solară ATZ 404-Y pe soclu
ATZ 404-Y solar lamp on the socket

ATS 80150-R with a plastic sign and an ATZ 404-Y lamp mounted on the sockets