Parking Cone Set, 60 cm, with Roadworks Sign



AT A GLANCE

- Red 60 cm parking cone with 12 cat's eyes.
- Triangular roadworks sign, 39 cm, yellow.
- 36 cm hexagonal base; the set weighs 6.5 kg.
- For small jobs in car parks and yards.

Product code	**ATS 3060-782**
Category	**Cone and Sign Sets**
Weight	**6.5 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/set-con-de-parcare-60-cm-cu-indicator-lucrari

Technical specifications

Material (Cone)	PPC
Material (Indicator)	PP
Base Shape	Hexagon
Reflective	Cat Eye, Honeycomb

Description

An open manhole in a car park, a kerb being redone on a driveway, a machine working for an hour in a company yard: for small jobs there is no point bringing posts and fences. The ATS 3060-782 is a parking cone with a roadworks sign on top that you put next to the work area and take with you when you finish.

What is in the set

- the V6-60R parking cone: red, 2 white bands with 12 cat's eyes, 36 cm hexagonal base, 6 kg;
- the ATZ 782 plastic sign: 39 cm triangle, yellow with a red border and the man with a shovel, honeycomb reflective film, 0.45 kg.

Why a parking cone

The sign screws straight into the thread at the top of the cone, with no adapter. The parking cone is heavier than an ordinary traffic cone of the same height: its 6 kg keep it in place, and at night the cat's eyes show as a row of red dots. Assembled, the set is 95 cm tall and weighs 6.5 kg.

Where it is used

For maintenance in shop and residential car parks, on yard driveways, for cleaning with machines, for quick utility repairs, on a pavement or next to a building entrance.


Other versions

The same cone with a No Parking sign is the ATS 3060-545. For work on the carriageway, where the cone has to be seen from further away, the 75 and 90 cm cones are under traffic cones.

Drawings and details · 1/2


Dimensiuni: H 655 mm, bază 360 mm între laturi **V6-60R**

Dimensions: H 655 mm, 360 mm base across flats



Vedere de sus

Top view



Dimensiuni în mm. Filet Ø35 mm în vârf, fără buclă.

Dimensions in mm. Ø35 mm thread on top, no loop.

PPC, PVC și PC, roșu, 6 kg; 12 catadioptri pe cele 2 benzi albe.

PPC, PVC and PC, red, 6 kg; 12 cat's eyes on the 2 white bands.

Bază hexagonală, 360 mm între laturi, Ø411 mm pe colțuri, 58 mm înălțime.

Hexagonal base, 360 mm across flats, Ø411 mm across corners, 58 mm high.


Dimensions of the V6-60R cone in the ATS 3060-782 set


Drawings and details · 2/2

Vârful conului: filet Ø35 mm, fără buclă

V6-60R

Top of the cone: Ø35 mm thread, no loop





Indicator dreptunghiular
Rectangular sign

Indicator triunghiular
Triangular sign

Indicator rotund
Round sign

Lampă
Lamp

Cârlig ATZ 101A
ATZ 101A hook

În filet se înșurubează direct, fără adaptor: indicatoare din plastic cu filet, o lampă sau cârligul ATZ 101A.
These screw straight into the thread, no adapter: threaded plastic signs, a lamp or the ATZ 101A hook.
Acestea se comandă separat.
They are ordered separately.

Top of the V6-60R cone in the ATS 3060-782 set