Traffic Cone Set, 75 cm, Weighted Base, with No Parking Sign



AT A GLANCE

- Orange PE cone, 75 cm, 2 honeycomb bands.
- Weighted hexagonal base, 48.5 cm.
- No Parking sign, Ø28 cm.
- 110 cm tall assembled, 5 kg.

Product code	**ATS 3271-545**
Category	**Cone and Sign Sets**
Weight	**5 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/set-con-rutier-75-cm-cu-baza-grea-si-indicator-parcarea-interzisa

Technical specifications

Material (Cone)	PE
Material (Indicator)	PP
Base Shape	Hexagon
Reflective	Honeycomb

Description

On a street, a small cone gets lost between parked cars. At 75 cm, the cone in this set shows over their bonnets, and the sign on top reaches 110 cm. It is the set to use when you need a clear space at the kerb: for a removal van, a delivery or a small crane.

What is in the set

- the V6-70AR2E cone: matt orange PE, 75 cm with the loop, 71.5 cm without it, 2 white honeycomb reflective bands, 48.5 × 53.7 cm weighted hexagonal base;
- the ATZ 545 sign: No Parking, Ø28 cm, PP with honeycomb film, 35 mm thread.

The heavy base

The sign screws straight into the thread at the top of the cone, with no adapter. On cones with a loop on top, cut off the loop first. The PE body is light, but the weighted hexagonal base keeps it in position in the wind or next to a traffic lane. The whole set weighs 5 kg, so one person can move it.

Where it is used

At the kerb on busy streets, in front of a building where work is going on, at company yard entrances and on parking spaces that must stay free for a few hours.


Other versions

Taller, at 90 cm, is the ATS 3291-545. For private car parks, the 60 cm parking cone with the same sign is the ATS 3060-545.

Drawings and details · 1/2

Dimensiuni: H 750 mm cu bucla, bază 485 mm între laturi **V6-70AR2E**

Dimensions: H 750 mm with the loop, 485 mm base across flats



Dimensiuni în mm. Înălțime cu bucla: 750. Bucla de 35 mm se taie pentru filetul Ø35 mm și conul rămâne de 715 mm.
Dimensions in mm. Height with the loop: 750. Cut off the 35 mm loop to use the Ø35 mm thread and the cone is 715 mm.

PE, bază PVC, portocaliu, 4,35 kg; 2 benzi albe tip fagure, 99 + 119 mm.
PE, PVC base, orange, 4.35 kg; 2 white honeycomb bands, 99 + 119 mm.

Bază hexagonală neagră, 485 mm între laturi, Ø537 mm pe colțuri, 45 mm înălțime.
Black hexagonal base, 485 mm across flats, Ø537 mm across corners, 45 mm high.

Dimensions of the V6-70AR2E cone in the ATS 3271-545 set

Drawings and details · 2/2



În filet se înșurubează direct, fără adaptor: indicatoare din plastic cu filet, o lampă sau cârligul ATZ 101A.
These screw straight into the thread, no adapter: threaded plastic signs, a lamp or the ATZ 101A hook.
Acestea se comandă separat.
They are ordered separately.

Top of the V6-70AR2E cone in the ATS 3271-545 set