Steel Bollard with Chain Rings, Yellow (RAL 1023), Ø76 mm x 75 cm



AT A GLANCE

- Yellow RAL 1023 steel bollard, Ø76 mm x 75 cm.
- 3 black bands, 2 chain rings.
- 17 × 17 cm base plate, 4.6 kg.
- 4 anchors and 4 bolts included free of charge.

Product code	**ATD 7580**
Category	**Ornamental Bollards**
Weight	**4.6 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/stalp-metalic-cu-inele-pentru-lant-galben-ral-1023-o76-mm-x-75-cm

Technical specifications

Material	Painted Steel
Size (Post)	Ø76 mm x 75 cm
Thickness (Post)	3 mm
Size (Base)	17 × 17 × 0.4 cm
Color	Yellow (RAL 1023)
Bands	3 black bands
Installation	4 Dowels, 4 Screws

Description

The ATD 7580 is the economy version of the steel bollards: yellow RAL 1023 with 3 black bands that make it easy to see in car parks, company yards and halls. At the top it has 2 rings, one on each side, through which you pass a chain to link several bollards into a barrier.

Construction

The Ø76 mm tube is powder-coated steel with a 3 mm wall and is 75 cm tall. A 17 × 17 cm square plate, 4 mm thick, with 4 holes is welded to the base.

Installation

It is fixed at 4 points with 4 anchors and 4 bolts, included free of charge. The bollard weighs 4.6 kg.

Where it is used

To mark out parking spaces, access lanes and pedestrian areas, in warehouses and at yard entrances, where yellow and black matches the floor markings.

With a chain

A yellow-black plastic chain, for example the 8 mm V1-80YB sold by the metre, matches the bollard and turns a row of bollards into a continuous barrier.


Other bollards

For a more decorative look, see the flanged ornamental bollards ATZ M7592-BK (black) and ATZ M7592-GR (green).

Drawings and details · 1/4

Dimensiuni
Dimensions
cm

ATD 7580



Galben RAL 1023. 4,6 kg. 4 puncte de prindere.
Yellow RAL 1023. 4.6 kg. 4 fixing points.
Placă de bază de 17 x 17 cm, groasă de 4 mm.
Base plate 17 x 17 cm, 4 mm thick.

ATD 7580 dimensions


Drawings and details · 2/4

Detalii
Details

ATD 7580




2 inele pentru lanț, sus
2 rings for a chain, at the top



Capac plat, văzut de sus
Flat lid, seen from above



3 benzi negre
3 black bands




Placă de bază 17 x 17 cm, cu 4 găuri
Base plate 17 x 17 cm, with 4 holes

ATD 7580 details

Drawings and details · 3/4

Cu lanț, barieră continuă
With a chain, a continuous barrier

ATD 7580



Lanțul trece prin cele 2 inele de sus, câte unul pe fiecare parte a stâlpului.
The chain goes through the 2 rings at the top, one on each side of the post.
Exemplu de distanță; o alegi după zona pe care o închizi.
An example of spacing; choose it for the area you close off.

ATD 7580: with a chain, a continuous barrier

Drawings and details · 4/4


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

ATD 7580 fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel