Portable PPC Post with PVC Base, Ø11×120 cm, 4 Reflective Films



AT A GLANCE

- Red PPC portable post, Ø11 × 120 cm.
- 36 cm round PVC base, 5.6 kg.
- 4 reflective films.
- Ø35 mm threaded socket for attachments (not included).

Product code	**ATZ 11015R4**
Category	**Portable Delineator Posts**
Brand	**Atto Trafic**
Weight	**5.6 kg**

This product on attotrafic.ro
https://attotrafic.ro/en_US/products/stalp-mobil-de-delimitare-cu-baza-din-pvc-o11x120-cm-4-folii-reflectorizante

Technical specifications

Material	PPC, PVC
Size (Post)	Ø11 cm
Size (Base)	Ø36 cm
Height (Base)	9 cm
Base Shape	Round
Color	Red
Color (Head)	White
Color (Base)	Black
Installation	3 Dowels, 3 Screws
Reflective	4 white Type 1 glass-bead films
Top	Ø35 mm inner thread
Chain Fixing	At the top, with the ATZ 101A and ATZ 330A hooks (not included)

Description

At 120 cm and Ø11 cm, the ATZ 11015R4 is the tallest and thickest portable post on a round base. The 4 white reflective films on the red post make it visible from far away, and a sign or a lamp can be mounted on it.

What it is good for

Signalling roadworks and interventions on the carriageway, where a temporary sign is mounted on the post, and marking out large car parks, warehouses and halls, where a 1 m post would be too short.

Threaded socket

At the top it has a socket with a Ø35 mm inner thread. A threaded plastic sign, a warning lamp or the ATZ 101A hook screws into it, no tools needed. The chain fastens to the ring of that hook with the ATZ 330A chain hook. Attachments are not included.

Base

The post goes into the socket in the centre of the base. The round PVC base is 36 cm across and 9 cm high, with 3 fixing points, in case you want to anchor it with anchors and bolts.

Technical data

- Ø11 cm red PPC post with white head, 120 cm overall;
- black round PVC base, Ø36 cm, 9 cm high;
- 5.6 kg;
- 4 Type 1 glass-bead reflective films;
- thread at the top: Ø35 mm.

With extra weight


The same post on a 40 × 60 cm rectangular base, 9 kg in total, is the ATZ 110120R4.

Drawings and details · 1/4

Dimensiuni: Ø110 x 1200 mm, bază Ø360 mm


ATZ 11015R4

Dimensions: Ø110 x 1200 mm, Ø360 mm base



Bază, văzută de sus: 3 puncte de prindere


Base from above: 3 fixing points



Greutate: 5,6 kg. Stâlp PPC roșu cu cap alb, 4 folii reflectorizante, bază PVC neagră.
Weight: 5.6 kg. Red PPC post with white head, 4 reflective bands, black PVC base.
Dimensiuni în mm.
Dimensions in mm.

ATZ 11015R4 dimensions: Ø110 × 1200 mm, Ø360 mm base


Drawings and details · 2/4



Se înșurubează direct în filet, fără unelte: indicatoare din plastic, o lampă sau cârligul ATZ 101A, de care se prinde lanțul.
They screw straight into the thread, no tools needed: plastic signs, a lamp or the ATZ 101A hook, which takes the chain.
Acestea se comandă separat.
They are ordered separately.

Top of the ATZ 11015R4 post: Ø35 mm inner thread and what screws into it

Drawings and details · 3/4



ATZ 11015R4: two posts linked with a chain and the base with 3 fixing points

Drawings and details · 4/4


Sistem de prindere: șurub ATZ 80A + diblu ATZ 90A

Fixing system: ATZ 80A screw + ATZ 90A dowel

ATZ 80A – Șurub Ø10 x 110 mm (DIN 571), cap hexagonal cu flanșă

ATZ 80A – Ø10 x 110 mm screw (DIN 571), hexagon flange head








ATZ 90A – Diblu Ø16 x 90 mm (secțiune A-A)

ATZ 90A – Ø16 x 90 mm dowel (section A-A)



Dimensiuni în mm. Gaura pentru diblu: Ø16 mm. Șurubul are 100 mm sub cap și 108,5 mm în total; diblul are 88 mm.

Dimensions in mm. Hole for the dowel: Ø16 mm. The screw is 100 mm under the head, 108.5 mm overall; the dowel is 88 mm long.

Câte un diblu și un șurub pentru fiecare punct de prindere al produsului.

One dowel and one screw for each fixing point of the product.

ATZ 11015R4 fixing system: ATZ 80A Ø10 × 110 mm screw and ATZ 90A Ø16 × 90 mm dowel